



Compulsion 10

FINISH (ACCENTS): Satin Blue (Chartreuse, Blue)

WEIGHT	12.9kg, 28.4lb
FRAME	Felt All-Mountain, double-buttet 6061 aluminum, Hydroform, 160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch Plus RC3 w/ custom tune, 216 x 63mm
FORK	RockShox Pike RCT3, 160mm travel, Solo Air, rebound & compression adjusters, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
HEADSET	FSA No.9M/12B semi integrated tapered Aheadset, external lower cup, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 50mm MD - 50mm LG - 60mm XL - 70mm
HANDLEBAR	Felt MTB carbon, Ø31.8mm, 8mm rise x 9° sweep, 760mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	SRAM X01 right only, 11-speed
REAR DERAILLEUR	SRAM X01
CRANKSET	RaceFace Turbine single: SM - 170mm MD/LG - 175mm

CHAINWHEEL	RaceFace NW 30T 1x11-speed
BOTTOM BRACKET	RaceFace sealed threaded
CHAIN	SRAM X01
FREEWHEEL / CASSETTE	SRAM X01 11-speed 10-42T
BRAKE LEVERS	SRAM Guide RSC
FRONT BRAKE	SRAM Guide RSC hydraulic disc brake w/ 180mm rotor, 6-bolt
REAR BRAKE	SRAM Guide RSC hydraulic disc brake w/ 180mm rotor, 6-bolt
CABLES	Felt All-Weather Sealed Slick derailleur cables
SADDLE	WTB Volt Cr-Mo rails
SEAT POST	KS LEV dropper post w/ remote: SM/MD - Ø30.9 x 335mm LG/XL - Ø30.9 x 385mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB KOM i23, 27.5"
FRONT HUB	Novatec Sealed bearings superlight 32H, 6-bolt disc mount, 15mm
REAR HUB	Novatec Sealed bearings superlight 32H, XX1 driver, 6-bolt disc mount, 12 x 142mm
SPOKES	2.0/1.8mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Hans Dampf folding TL Easy front, Rock Razor rear Performance folding TL Easy, 27.5" x 2.35"

GEOMETRY CHART:

SIZE:	SM (16")	MD (18")	LG (20")	XL (22")
HA	67.5	67.5	67.5	67.5
SA	73.5	73.5	73.5	73.5
TT HORIZ	580	604	627	652
HT LENGTH	115	125	135	145
SEAT TUBE C-T	410	440	490	540
BB DROP	-15	-15	-15	-15
CS	432	432	432	432
WHEELBASE	1128	1154	1178	1204
STANDOVER	724	738	767	793
RAKE	40	40	40	40
REACH	415	438	458	480
STACK	557	567	576	585



Compulsion 30

FINISH (ACCENTS): Satin Black (Grey, Grey)

WEIGHT	14.1kg, 31.0lb
FRAME	Felt All-Mountain, double-buttet 6061 aluminum, Hydroform, 160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch RT w/ custom tune, 216 x 63mm
FORK	RockShox Pike RC, 160mm travel, Dual Position Air, rebound & compression adjusters, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
HEADSET	FSA No.9M/12B semi integrated tapered Aheadset, external lower cup, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 50mm MD - 50mm LG - 60mm XL - 70mm
HANDLEBAR	Felt MTB carbon, Ø31.8mm, 8mm rise x 9° sweep, 760mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 2 x 10-speed
FRONT DERAILEUR	Shimano Deore high direct mount, top pull
REAR DERAILEUR	Shimano XT Shadow Plus long cage

CRANKSET	Shimano Deore Hollowtech II double: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T
CHAINGUIDE	E-Thirteen TRS Dual
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano SLX hydraulic disc brake
FRONT BRAKE	Shimano SLX hydraulic disc brake w/ 180mm rotor
REAR BRAKE	Shimano SLX hydraulic disc brake w/ 180mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Volt Cr-Mo rails
SEAT POST	KS Drop Zone dropper post w/ remote: SM/MD - Ø30.9 x 350mm LG - Ø30.9 x 385mm XL - Ø30.9 x 420mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 27.5" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 6-bolt disc mount 32H, 15mm axle
REAR HUB	Forged aluminum, sealed bearing, 6-bolt disc mount, 32H, 142 x 12mm axle
SPOKES	2.0/1.8mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Nobby Nic Performance folding 27.5" x 2.35"

GEOMETRY CHART:

SIZE:	SM (16")	MD (18")	LG (20")	XL (22")
HA	67.5	67.5	67.5	67.5
SA	73.5	73.5	73.5	73.5
TT HORIZ	580	604	627	652
HT LENGTH	115	125	135	145
SEAT TUBE C-T	410	440	490	540
BB DROP	-15	-15	-15	-15
CS	432	432	432	432
WHEELBASE	1128	1154	1178	1204
STANDOVER	724	738	767	793
RAKE	40	40	40	40
REACH	415	438	458	480
STACK	557	567	576	585



Compulsion 50

FINISH (ACCENTS): Satin Army (Orange, Black)

WEIGHT	14.6kg, 32.1lb
FRAME	Felt All-Mountain, double-buttet 6061 aluminum, Hydroform, 160mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch RT w/ custom tune, 216 x 63mm
FORK	Suntour Aion RL-R, 160mm travel, Air Spring, tapered aluminum steerer, 34mm stanchions, Magnesium lowers, forged crown, 15mm axle
HEADSET	FSA No.9M/12B semi integrated tapered Aheadset, external lower cup, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 50mm MD - 50mm LG - 60mm XL - 70mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 760mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 2 x 10-speed
FRONT DERAILEUR	Shimano Deore high direct mount, top pull
REAR DERAILEUR	Shimano XT Shadow Plus long cage

CRANKSET	Shimano Deore Hollowtech II double: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano M506 hydraulic disc brake
FRONT BRAKE	Shimano M506 hydraulic disc brake w/ 180mm rotor
REAR BRAKE	Shimano M506 hydraulic disc brake w/ 180mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Volt steel rails
SEAT POST	KS Eten dropper post non-remote: SM/MD - Ø30.9 x 350mm LG/XL - Ø30.9 x 385mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEELSET	WTB Speed Disc i23, 27.5" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, Center Lock disc mount 32H, 15mm axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H, 142 x 12mm axle
SPOKES	2.0/1.8mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Hans Dampf front, Rock Razor rear Performance folding 27.5" x 2.35"

GEOMETRY CHART:				
SIZE:	SM (16")	MD (18")	LG (20")	XL (22")
HA	67.5	67.5	67.5	67.5
SA	73.5	73.5	73.5	73.5
TT HORIZ	580	604	627	652
HT LENGTH	115	125	135	145
SEAT TUBE C-T	410	440	490	540
BB DROP	-15	-15	-15	-15
CS	432	432	432	432
WHEELBASE	1128	1154	1178	1204
STANDOVER	724	738	767	793
RAKE	40	40	40	40
REACH	415	438	458	480
STACK	557	567	576	585