



F3x

FINISH (ACCENTS): Satin Belgian Bleu
(Carbon, Flouro Red, Silver)

WEIGHT	TBA
FRAME	Felt Cyclocross UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, electronic compatible internal cable routing
FORK	Felt Cyclocross UHC Advanced + TeXtreme® carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades & 15mm thru axle dropouts w/ 140mm post mount disc tabs
HEADSET	FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap & bolt
STEM	3T ARX II, +/-5° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm
HANDLEBAR	3T Ergoterra Pro, 89mm reach, 127mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm 53 - 60cm = 440 / 470mm
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	Shimano R685 Hydraulic
FRONT DERAILEUR	Shimano Ultegra clamp-on, Ø31.8mm
REAR DERAILEUR	Shimano Ultegra short cage

CRANKSET	Shimano Ultegra 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm
CHAINWHEEL	Shimano 46/36T
BOTTOM BRACKET	FSA BB30 w/ 24mm spindle reducers
CHAIN	Shimano 11-speed
FREEWHEEL / CASSETTE	Shimano, 11-28T
BRAKE LEVERS	Shimano R685 Hydraulic
FRONT BRAKE	Shimano R785 hydraulic disc w/ Shimano Ice-Tech 140mm centerlock rotor
REAR BRAKE	Shimano R785 hydraulic disc w/ Shimano Ice-Tech 140mm centerlock rotor
CABLES	Shimano Hydraulic brake & Felt Cross Elite Sealed derailleur By Jagwire
SADDLE	Prologo Nago Evo X8 T2.0
SEAT POST	3T Ionic VR 25 Pro, Ø27.2mm, 350mm length
SEAT POST CLAMP	Felt single bolt, Ø31.8mm
RIMS / WHEELSET	MAVIC Aksium ONE Disc
FRONT HUB	MAVIC Aksium ONE Disc
REAR HUB	MAVIC Aksium ONE Disc, 11-speed
SPOKES	MAVIC Aksium ONE Disc
TIRES	Vittoria Cross XL Pro, 700 x 33c

GEOMETRY CHART:

SIZE:	47 cm	50 cm	53 cm	55 cm	57 cm	60 cm
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611



F4x

FINISH (ACCENTS): Satin Carbon (Shadow, Silver, Flouro Red)

WEIGHT	8.53kg, 18.7lb
FRAME	Felt Cyclocross UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, SRAM Force Cx1 optimized internal cable routing (electronic compatible)
FORK	Felt Cyclocross UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" carbon fiber steer tube, crown, blades w/ 160mm post mount disc tabs
HEADSET	FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt compression device, aluminum top cap & bolt
STEM	Felt CXR SuperLite, +/-7° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm
HANDLEBAR	Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm 53 - 60cm = 440 / 470mm
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	SRAM Force Cx1 DoubleTap
REAR DERAILEUR	SRAM Force Cx1
CRANKSET	SRAM Force Cx1 BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm

CHAINWHEEL	SRAM Cx1 38T
BOTTOM BRACKET	SRAM BB30
CHAIN	SRAM 11-speed
FREEWHEEL / CASSETTE	SRAM, 11-28T
BRAKE LEVERS	SRAM Force Cx1 DoubleTap
FRONT BRAKE	TRP Spyre SLC disc w/ stainless steel 160mm 6-bolt rotor
REAR BRAKE	TRP Spyre SLC disc w/ stainless steel 140mm 6-bolt rotor
CABLES	Felt Cross Sealed Compressionless brake & derailleur By Jagwire
SADDLE	Prologo Nago Evo X8 T2.0
SEAT POST	Felt CxR2, Ø27.2mm, 300mm length
SEAT POST CLAMP	Felt single bolt, Ø31.8mm
RIMS / WHEELSET	MAVIC Aksium ONE Disc
FRONT HUB	MAVIC Aksium ONE Disc
REAR HUB	MAVIC Aksium ONE Disc, 11-speed
SPOKES	MAVIC Aksium ONE Disc
TIRES	Vittoria Cross XL Pro, 700 x 33c

GEOMETRY CHART:

SIZE:	47 cm	50 cm	53 cm	55 cm	57 cm	60 cm
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611



F5x

FINISH (ACCENTS): Satin Carbon (Shadow, Silver, Bright Blue)

WEIGHT	9.29kg, 20.4lb
FRAME	Felt Cyclocross UHC Performance carbon fiber, MMC w/ InsideOut construction, BB30 & dropouts, shoulder friendly top tube, replaceable rear derailleur hanger, electronic compatible internal cable routing
FORK	Felt Cyclocross UHC Advanced carbon fiber blades w/ 160mm post mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steer tube
HEADSET	FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt top cap & bolt
STEM	Felt CXR SuperLite, +/-7° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm
HANDLEBAR	Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm 53 - 60cm = 440 / 470mm
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	Shimano 105 11-speed STI
FRONT DERAILLEUR	Shimano 105 11-speed clamp-on, Ø31.8mm
REAR DERAILLEUR	Shimano 105 11-speed short cage
CRANKSET	FSA Gossamer BB30 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm

CHAINWHEEL	FSA 46/36T
BOTTOM BRACKET	FSA BB30
CHAIN	Shimano 105 11-speed
FREEWHEEL CASSETTE	/ Shimano 105, 11-28T
BRAKE LEVERS	Shimano 105 11-speed STI
FRONT BRAKE	TRP HyRd hydraulic disc w/ stainless steel 160mm 6-bolt rotor
REAR BRAKE	TRP HyRd hydraulic disc w/ stainless steel 140mm 6-bolt rotor
CABLES	Felt Cross Elite Sealed Compressionless brake & derailleur By Jagwire
SADDLE	Prologo Nago Evo X10 T2.0
SEAT POST	Felt CxR2, Ø27.2mm, 300mm length
SEAT POST CLAMP	Felt single bolt, Ø31.8mm
RIMS / WHEELSET	Felt CxR3 Disc (tubeless ready)
FRONT HUB	Felt R3 Disc, sealed bearing, 24H
REAR HUB	Felt R3 Disc, sealed cartridge bearing, 28H, 11-speed
SPOKES	2.0mm stainless steel
TIRES	Vittoria Cross XL Pro, 700 x 33c

GEOMETRY CHART:

SIZE:	47 cm	50 cm	53 cm	55 cm	57 cm	60 cm
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611



F65x

FINISH (ACCENTS): Satin Black (Charcoal, Silver)

WEIGHT	9.66kg, 21.2b
FRAME	Felt Cyclocross FLite Custom Butted aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB386, replaceable rear derailleur hanger, internal cable routing
FORK	Felt Cyclocross UHC Advanced carbon fiber blades w/ 160mm post mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steer tube
HEADSET	FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt top cap & bolt
STEM	„Felt CXR SuperLite, +/-7° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm“
HANDLEBAR	„Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm 53 - 60cm = 440 / 470mm“
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	Shimano 105 11-speed STI
FRONT DERAILLEUR	Shimano 105 11-speed clamp-on, Ø34.9mm
REAR DERAILLEUR	Shimano 105 11-speed short cage
CRANKSET	„FSA Gossamer BB386 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm“

CHAINWHEEL	FSA 46/36T
BOTTOM BRACKET	FSA BB386
CHAIN	Shimano 105 11-speed
FREEWHEEL / CASSETTE	Shimano 105, 11-28T
BRAKE LEVERS	Shimano 105 11-speed STI
FRONT BRAKE	TRP Spyre-C disc w/ stainless steel 160mm 6-bolt rotor
REAR BRAKE	TRP Spyre-C disc w/ stainless steel 140mm 6-bolt rotor
CABLES	Felt All-Weather compressionless sealed Slick brake & derailleur
SADDLE	Prologo Nago Evo X10 T2.0
SEAT POST	Felt CxR3, Ø27.2mm, 300mm length
SEAT POST CLAMP	Felt single bolt, Ø31.8mm
RIMS / WHEELSET	Felt CxR3 Disc (tubeless ready)
FRONT HUB	Felt R3 Disc, sealed bearing, 24H
REAR HUB	Felt R3 Disc, sealed cartridge bearing, 28H, 11-speed
SPOKES	2.0mm stainless steel
TIRES	Vittoria Cross XL Pro, 700 x 33c

GEOMETRY CHART:

SIZE:	47 cm	50 cm	53 cm	55 cm	57 cm	60 cm
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611



F85x

FINISH (ACCENTS): Satin Snozberry (Black, Acid Green, Paste Blue),
Gloss Army (Pewter, Comrade Blue)

WEIGHT	10.3kg, 22.7lb
FRAME	Felt Cyclocross FLite Custom Butted aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, BB386, replaceable rear derailleur hanger, internal cable routing
FORK	Felt Cyclocross UHC Advanced carbon fiber blades w/ 160mm post mount disc tabs, ControlTaper 1.125" - 1.5" aluminum steer tube
HEADSET	FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt top cap & bolt
STEM	Felt CXR SuperLite, +/-7° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm
HANDLEBAR	Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm 53 - 60cm = 440 / 470mm
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	Shimano Tiagra STI
FRONT DERAILEUR	Shimano Tiagra clamp-on, Ø34.9mm
REAR DERAILEUR	Shimano 10-Speed long cage
CRANKSET	Shimano Cx50 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm
CHAINWHEEL	Shimano 46/36T

BOTTOM BRACKET	FSA BB386 w/ 24mm spindle reducers
CHAIN	KMC 10-speed
FREEWHEEL / CASSETTE	Shimano, 11-32T
BRAKE LEVERS	Shimano Tiagra STI
FRONT BRAKE	Tektro Mira disc w/ stainless steel 160mm 6-bolt rotor
REAR BRAKE	Tektro Mira disc w/ stainless steel 140mm 6-bolt rotor
CABLES	Felt All-Weather compressionless sealed Slick brake & derailleur
SADDLE	Prologo Nago Evo X10
SEAT POST	Felt CxR3, Ø27.2mm, 300mm length
SEAT POST CLAMP	Felt single bolt, Ø31.8mm
RIMS / WHEELSET	Felt CxR3 Disc (tubeless ready)
FRONT HUB	Shimano, sealed bearing, 32H
REAR HUB	Shimano, sealed bearing, 32H, 10-speed
SPOKES	2.0mm stainless steel
TIRES	Vittoria Cross XL Pro, 700 x 33c

GEOMETRY CHART:

SIZE:	47 cm	50 cm	53 cm	55 cm	57 cm	60 cm
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611



F95x

FINISH (ACCENTS): Satin Dark Titanium
(Bright Silver, Red, Flouro Blue)

WEIGHT	9.99kg, 21.9lb
FRAME	Felt Cyclocross FLite Custom Butted aluminum, Dynaform TIG-welded construction, shoulder friendly top tube, threaded BB, replaceable rear derailleur hanger, internal cable routing
FORK	Felt Cyclocross UHC Advanced carbon fiber blades, ControlTaper 1.125" - 1.5" aluminum steer tube
HEADSET	FSA NO.38/42, 1.125" - 1.5" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt top cap & bolt
STEM	Felt CXR SuperLite, +/-7° rise, Ø31.8mm 47 - 53cm = 90mm 55cm = 100mm 57cm = 110mm 60cm = 120mm
HANDLEBAR	Felt CXR SuperLite, 86mm reach, 130mm drop, Ø31.8mm 47 - 50cm = 420 / 450mm 53 - 60cm = 440 / 470mm
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	Shimano Sora STI
FRONT DERAILEUR	Shimano CX70 clamp-on, Ø34.9mm
REAR DERAILEUR	Shimano Sora short cage
CRANKSET	Shimano Sora 47cm = 165mm 50cm = 170mm 53cm = 172.5mm 55 - 60cm = 175mm
CHAINWHEEL	FSA 46/34T
BOTTOM BRACKET	Shimano Sora Hollowtech II

CHAIN	KMC 9-speed
FREEWHEEL / CASSETTE	Shimano, 11-32T
BRAKE LEVERS	Shimano Sora STI
FRONT BRAKE	Tektro RX1.0
REAR BRAKE	Tektro RX1.0
CABLES	Felt All-Weather compressionless sealed Slick brake & derailleur
SADDLE	Felt CxR
SEAT POST	Felt CxR3, Ø27.2mm, 300mm length
SEAT POST CLAMP	Felt single bolt, Ø31.8mm
RIMS / WHEELSET	Felt CxR (tubeless ready)
FRONT HUB	Shimano, sealed bearing, 32H
REAR HUB	Shimano, sealed bearing, 32H, 9-speed
SPOKES	2.0mm stainless steel
TIRES	Vittoria Cross XL Pro, 700 x 33c

GEOMETRY CHART:

SIZE:	47 cm	50 cm	53 cm	55 cm	57 cm	60 cm
HA	71	71.5	72	72	72	72
SA	75	74.5	73.5	73.5	73	73
TT HORIZ	510	525	540	560	580	605
HT LENGTH	110	120	130	150	170	195
SEAT TUBE C-T	470	500	530	550	570	600
BB DROP	65	65	65	65	65	65
CS	430	430	430	430	430	430
WHEELBASE	1005	1005	1007	1027	1042	1068
STANDOVER	726	751	779	796	814	834
RAKE	50	45	45	45	45	45
REACH	368	375	377	391	400	418
STACK	525	538	549	568	587	611



F24x

FINISH (ACCENTS): Satin Belgian Bleu (Black, Flouro Red, Silver)

WEIGHT	8.75kg, 19.4lb
FRAME	Felt Cyclocross FLite Custom Butted aluminum, TIG-welded construction, threaded BB, replaceable rear derailleur hanger
FORK	Felt Cyclocross tapered aluminum blades, crown & dropouts, 1.125" Cr-Mo steer tube
HEADSET	FSA IS2 integrated, 1.125" sealed cartridge bearing w/ Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1x 10mm + 2 x 5mm PC headset spacers, Felt top cap & aluminum bolt
STEM	Felt SuperLite, +/-7° rise, Ø26.0mm, 80mm
HANDLEBAR	Felt K:1, 75mm reach, 120mm drop, Ø26.0mm, 360mm
GRIPS	Felt CxGel Tape
BAR ENDS/CAPS	Felt Bubble-Tech „F Wing“
SHIFTERS	microSHIFT Road Short Reach
FRONT DERAILEUR	microSHIFT Road clamp-on, Ø31.8mm
REAR DERAILEUR	Shimano Sora short cage
CRANKSET	Felt CxR:K Road, 155mm
CHAINWHEEL	Felt 40/28T
BOTTOM BRACKET	Square Tapered
CHAIN	Shimano 9-speed
FREEWHEEL / CASSETTE	Shimano, 11-32T
BRAKE LEVERS	microSHIFT Road Short Reach w/Tektro top mount levers
FRONT BRAKE	Tektro RX1.0
REAR BRAKE	Tektro RX1.0
CABLES	Felt All-Weather sealed Slick brake & derailleur
SADDLE	Felt CxR:K
SEAT POST	Felt CxR3, Ø27.2mm

SEAT POST CLAMP	Single bolt, Ø30.6mm
RIMS / WHEELSET	Felt CxR:K
FRONT HUB	Felt R4, sealed bearing, 24H
REAR HUB	Felt R4, sealed bearing, 28H, 9-speed
SPOKES	1.8mm stainless steel
TIRES	Kenda Happy Medium, 24" x 1.125"

GEOMETRY CHART:

SIZE:	39 cm
HA	70.5
SA	74.5
TT HORIZ	465
HT LENGTH	110
SEAT TUBE C-T	345
BB DROP	40
CS	380
WHEELBASE	905
STANDOVER	580
RAKE	40
REACH	333
STACK	471