



7Thirty

FINISH (ACCENTS): Satin Black

WEIGHT	12.1kg, 26.6lb
FRAME	Felt XC, butted 6061 aluminum, Hydro-form, ControlTaper head tube, machined yoke, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	RockShox 30 Gold, Solo Air, 100mm travel (80mm/XS), PopLoc remote lock-out, tapered aluminum steerer, aluminum stanchions, magnesium lowers, post style disc mount, 9mm QR
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 5mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore Rapid-Fire 2 x 10-speed
FRONT DERAILEUR	Shimano Deore low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano XT Shadow long cage
CRANKSET	Shimano Deore Hollowtech II double: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T

BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Magura MT2
FRONT BRAKE	Magura MT2 hydraulic disc w/ 180mm rotor
REAR BRAKE	Magura MT2 hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado Cr-Mo rails
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEELSET	WTB Speed Disc i23, 27.5" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel w/ aluminum nipples
TIRES	Schwalbe Racing Ralph, TL Easy, folding, 27.5" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	70	70	70	70	70
SA	73,5	73	73	73	73
TT HORIZ	565	590	610	630	650
HT LENGTH	90	100	110	120	130
SEAT TUBE C-T	356	406	457	508	559
BB DROP	50	50	50	50	50
CS	425	425	425	425	425
WHEELBASE	1053	1073	1093	1114	1134
STANDOVER	660	700	745	780	810
RAKE	42	42	42	42	42
REACH	394	411	427	445	461
STACK	579	588	598	607	616



7Fifty

FINISH (ACCENTS): Gloss Black

WEIGHT	12.7kg, 27.9lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	RockShox XC30, 100mm travel (80mm / XS), PopLoc remote lockout, aluminum steerer, magnesium lowers, post style disc mount, 9mm QR
HEADSET	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore Rapid-Fire 3 x 10-speed
FRONT DERAILEUR	Shimano Deore low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano XT Shadow long cage
CRANKSET	Shimano Deore Hollowtech II triple: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 42/32/24T
BOTTOM BRACKET	Shimano sealed threaded

PEDALS	Low-profile aluminum platform
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano BRM355 hydraulic disc brakes
FRONT BRAKE	Shimano BRM355 hydraulic disc brakes w/ 180mm Center Lock rotor
REAR BRAKE	Shimano BRM355 hydraulic disc brakes w/ 160mm Center Lock rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 27.5" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, Center Lock disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H hub, 135 x 10mm axle
SPOKES	2.0mm stainless steel w/ aluminum nipples
TIRES	Schwalbe Rapid Rob, folding, 27.5" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	70	70	70	70	70
SA	73,5	73	73	73	73
TT HORIZ	565	590	610	630	650
HT LENGTH	90	100	110	120	130
SEAT TUBE C-T	356	406	457	508	559
BB DROP	50	50	50	50	50
CS	425	425	425	425	425
WHEELBASE	1053	1073	1093	1114	1134
STANDOVER	660	700	745	780	810
RAKE	42	42	42	42	42
REACH	394	411	427	445	461
STACK	579	588	598	607	616



7Sixty

FINISH (ACCENTS): Satin Charcoal

WEIGHT	13.8kg, 30.3lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	Suntour XCM HLO, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, hydraulic lockout, 30mm stanchion, aluminum lower, double coil spring + MCU, w/ preload adjust
HEADSET	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Acera, 3 x 9-speed
FRONT DERAILEUR	Shimano Acera low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Deore long cage

CRANKSET	Suntour XCR triple w/ forged aluminum arms: XS/SM - 170mm MS/LG/XL-175mm
CHAINWHEEL	Suntour 42/32/22T
BOTTOM BRACKET	Cartridge bearing, square taper
PEDALS	One piece Low-profile nylon platform
CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 9-speed 11-36T
BRAKE LEVERS	Shimano BRM355 hydraulic disc brakes
FRONT BRAKE	Shimano BRM355 hydraulic disc brakes w/ 180mm rotor
REAR BRAKE	Shimano BRM355 hydraulic disc brakes w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	Felt MTB performance
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall Q45
FRONT HUB	Forged aluminum, Center Lock disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H hub, 135 x 10mm axle
SPOKES	2.0mm stainless steel
TIRES	Schwalbe Rapid Rob, folding, 27.5" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	70	70	70	70	70
SA	73,5	73	73	73	73
TT HORIZ	565	590	610	630	650
HT LENGTH	90	100	110	120	130
SEAT TUBE C-T	356	406	457	508	559
BB DROP	50	50	50	50	50
CS	425	425	425	425	425
WHEELBASE	1053	1073	1093	1114	1134
STANDOVER	660	700	745	780	810
RAKE	42	42	42	42	42
REACH	394	411	427	445	461
STACK	579	588	598	607	616



7Seventy

FINISH (ACCENTS): Navy Blue (Blue, Orange)

WEIGHT	14kg, 30.8lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	Suntour XCM HLO, 100mm travel 1-1/8" steerer tube, forged 6061 crown, hydraulic lockout, 30mm stanchion, aluminum lowers, double coil spring + MCU, w/ preload adjust
HEADSET	FSA No.10 Semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 680mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Acera Rapid-Fire 3 x 9-speed
FRONT DERAILEUR	Shimano Acera low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Alivio long cage
CRANKSET	Suntour XCM triple w/ forged aluminum arms: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Suntour 42/32/22T

BOTTOM BRACKET	Sealed cartridge, square taper axle
PEDALS	Low-profile nylon platform
CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 9-speed 11-36 T
BRAKE LEVERS	Tektro Auriga hydraulic disc brake
FRONT BRAKE	Tektro Auriga hydraulic disc w/ 180mm rotor
REAR BRAKE	Tektro Auriga hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	Felt MTB performance
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall i23, 27.5"
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum 6-bolt disc mount, 32H hub, 135 x 10mm axle
SPOKES	2.0mm stainless steel
TIRES	Schwalbe Rapid Rob Kevlar Guard, 27.5" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	70	70	70	70	70
SA	73,5	73	73	73	73
TT HORIZ	565	590	610	630	650
HT LENGTH	90	100	110	120	130
SEAT TUBE C-T	356	406	457	508	559
BB DROP	50	50	50	50	50
CS	425	425	425	425	425
WHEELBASE	1053	1073	1093	1114	1134
STANDOVER	660	700	745	780	810
RAKE	42	42	42	42	42
REACH	394	411	427	445	461
STACK	579	588	598	607	616



7Eighty

FINISH (ACCENTS): Satin Black (Red, Silver)

WEIGHT	14.5kg, 31.9lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	Suntour XCT DS, 100mm travel (80mm XS), coil + MCU spring w/ preload adjuster, 9mm QR, post mount
HEADSET	FSA No.10 semi-integrated 1-1/8" Ahead-set steel cups, caged bearing, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged design, 1-1/8" threadless Ø31.8mm, +/- 7° rise, w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 680mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Altus 3 x 8-speed
FRONT DERAILEUR	Shimano Altus low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Acera
CRANKSET	Suntour XCT triple w/ forged aluminum arms: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Suntour 42/32/22T
BOTTOM BRACKET	Sealed cartridge, square taper axle

PEDALS	Low-profile nylon platform
CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 8-speed 11-34T
BRAKE LEVERS	Tektro MTB
FRONT BRAKE	Tektro Novella mechanical disc w/ 180mm rotor
REAR BRAKE	Tektro Novella mechanical disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	Felt MTB performance
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall i23, 27.5"
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32 hole, 9mm QR axle
REAR HUB	Forged aluminum 6-bolt disc mount, 32H hub, 135 x 10mm axle
SPOKES	2.0mm stainless steel
TIRES	Impac RidgePac by Schwalbe 27.5" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	70	70	70	70	70
SA	73,5	73	73	73	73
TT HORIZ	565	590	610	630	650
HT LENGTH	90	100	110	120	130
SEAT TUBE C-T	356	406	457	508	559
BB DROP	50	50	50	50	50
CS	425	425	425	425	425
WHEELBASE	1053	1073	1093	1114	1134
STANDOVER	660	700	745	780	810
RAKE	42	42	42	42	42
REACH	394	411	427	445	461
STACK	579	588	598	607	616