



NineFRD

FINISH (ACCENTS): Satin Carbon TeXtreme (Shadow, Red)

WEIGHT	8.7kg, 19.1lb
FRAME	Felt XC, FRD UHC Ultimate + TeXtreme carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, Control-Taper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom bracket, Syntace style 12x42mm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox RS1, 100mm travel, carbon, inverted, predictive steering, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, carbon custom cone spacer 1 x 8mm + 2 x 5mm straight carbon spacers, w/ Felt Tornado aluminum top cap
STEM	Easton EC90 SL carbon threadless 1-1/8" +/- 10° rise for Ø31.8mm handlebar w/ titanium hardware: XS - 80mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Easton EC70 Taper Wall carbon, flat 9° sweep, 720mm width
GRIPS	ESI Racers Edge, silicon
BAR ENDS/CAPS	ESI end plugs
SHIFTERS	SRAM XX1 Grip Shift 1 x 11-speed
REAR DERAILEUR	SRAM XX1 Type 2 long cage
CRANKSET	RaceFace Carbon Next single: SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	RaceFace NW 32T
BOTTOM BRACKET	RaceFace sealed threaded

CHAIN	SRAM
FREEWHEEL / CASSETTE	SRAM XX1 11-speed 10-42T
BRAKE LEVERS	SRAM XX carbon
FRONT BRAKE	SRAM XX disc w/ HSX 180mm rotor
REAR BRAKE	SRAM XX disc w/ HSX 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB SL8 Carbon rails
SEAT POST	Easton EC70 Taper Wall monocoque carbon: SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 7075 CNC w/ titanium bolt Ø31.8mm
RIMS / WHEEL-SET	SRAM Carbon Rise 60, 29"
FRONT HUB	SRAM Predictive Steering hub for RS1 forks.
REAR HUB	XD driver
SPOKES	SRAM Carbon Rise
TIRES	Schwalbe Nobby Nic EVO TL Easy, folding 29" x 2.1"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine1

FINISH (ACCENTS): Satin Carbon TeXtreme
(Gloss Black, Chartreuse)

WEIGHT	9.3kg, 20.5lb
FRAME	Felt XC, UHC Advanced + TeXtreme carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, Control-Taper head tube, Kevlar chain watcher, replaceable derailleur hanger, 140mm post disc mounts, standard 73mm threaded bottom bracket, Syntace style 12x142mm through axle, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox Sid RL, 100mm travel (80mm/XS), PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm Maxle, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB carbon, flat 9° sweep, 720mm width
GRIPS	ESI Racers Edge, silicon
BAR ENDS/CAPS	ESI end plugs
SHIFTERS	SRAM X1 11-speed
REAR DERAILEUR	SRAM X01 Carbon
CRANKSET	SRAM X01 Carbon single: SM - 170mm MD/LG/XL - 175mm



CHAINWHEEL	SRAM 30T
BOTTOM BRACKET	GXP sealed threaded
CHAIN	SRAM
FREEWHEEL / CASSETTE	SRAM 11-speed 10-42T
BRAKE LEVERS	SRAM X0
FRONT BRAKE	SRAM X0 disc w/180mm rotor
REAR BRAKE	SRAM X0 disc w/160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado w/ Cr-Mo rails
SEAT POST	Felt UHC Performance carbon shaft, 2-bolt micro adjust, Low-profile forged head & forged rail clamps: SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø31.8mm
RIMS / WHEEL-SET	Easton EA70 XCT 29"
FRONT HUB	Easton EA70 XCT 15mm
REAR HUB	Easton EA70XCT 12X142mm
SPOKES	Easton EA70XCT
TIRES	Schwalbe Racing Ralph EVO TL Ready folding 29" x 2.1"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine2

FINISH (ACCENTS): Satin Carbon (White, Silver)

WEIGHT	10.8kg, 23.9lb
FRAME	Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox Reba RL, 100mm travel (80mm/XS), Solo Air, PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm Maxle, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB carbon, flat 9° sweep, 720mm width
GRIPS	Silicon
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano SLX Rapid-Fire 2 x 10-speed
FRONT DERAILEUR	Shimano SLX high clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano XT Shadow Plus long cage
CRANKSET	Shimano XT Hollowtech II double: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T



BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano Deore
FRONT BRAKE	Shimano Deore Hydraulic Disc w/ 180mm rotor
REAR BRAKE	Shimano Deore Hydraulic Disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado w/ Cr-Mo rails
SEAT POST	Felt UHC Performance carbon shaft, 2-bolt micro adjust, Low-profile forged head & forged rail clamps: SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Easton XR 29"
FRONT HUB	Easton XR 15mm
REAR HUB	Easton XR 135mm QR
SPOKES	Easton XR
TIRES	Schwalbe Racing Ralph Performance folding 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine3

FINISH (ACCENTS): Satin Charcoal (Fluoro Red)

WEIGHT	11.1kg, 24.4lb
FRAME	Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox Reba RL, 100mm travel (80mm/XS), Solo Air, PushLoc remote lockout, adjustable rebound, tapered aluminum steerer, magnesium lowers, 15mm Maxle, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 3 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 5mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore Rapid-Fire 2 x 10-speed
FRONT DERAILLEUR	Shimano Deore high clamp Ø34.9mm, bottom pull
REAR DERAILLEUR	Shimano XT Shadow Plus long cage
CRANKSET	Shimano Deore Hollowtech II double: XS/SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL	Shimano 38/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Magura MT4
FRONT BRAKE	Magura MT4 hydraulic disc w/ 180mm rotor
REAR BRAKE	Magura MT4 hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado w/ Cr-Mo rails
SEAT POST	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS/SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 15mm axle
REAR HUB	Shimano Deore 10-speed, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0/1.8mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Racing Ralph Performance folding 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine4

FINISH (ACCENTS): Satin Steel Blue (Orange)

WEIGHT	11.6kg, 25.5lb
FRAME	Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox Recon Gold, 100mm travel (80mm/XS), Solo Air, PushLoc remote lockout, adjustable rebound, magnesium lowers, tapered aluminum steerer, 15mm Maxle, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 5mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 2 x 10-speed
FRONT DERAILEUR	Shimano Deore high clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano SLX Shadow Plus long cage
CRANKSET	Shimano Deore double: XS/SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL	Shimano 38/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Magura MT2
FRONT BRAKE	Magura MT2 hydraulic disc w/ 180mm rotor
REAR BRAKE	Magura MT2 hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado w/ Cr-Mo rails
SEAT POST	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS/SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø31.8mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 15mm axle
REAR HUB	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0/1.8mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Racing Ralph Performance folding 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine5

FINISH (ACCENTS): 1) Satin Carbon (Blue, Charcoal)
2) Satin Carbon (white, red)

WEIGHT	12.3kg, 27lb
FRAME	Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox XC32 Solo Air, 100mm (XS 80mm) t travel, PopLoc remote lockout, adjustable rebound, aluminum steerer tube, magnesium lowers, 9mm QR, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 2 x 10-speed
FRONT DERAILEUR	Shimano Deore high clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Deore Shadow long cage
CRANKSET	Shimano Deore double: XS/SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL	Shimano 38/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano M355 hydraulic disc brake
FRONT BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 180mm rotor
REAR BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado
SEAT POST	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS/SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø31.8mm
RIMS / WHEEL-SET	WTB SX i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 32H, 9mm QR axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel w/ aluminum nipples
TIRES	Schwalbe Rapid Rob folding, 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine6

FINISH (ACCENTS): Gloss White (Black, Red)

WEIGHT	12.8kg, 28.1lb
FRAME	Felt XC, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, ControlTaper head tube, Kevlar chain watcher, replaceable derailleur hanger IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, internal derailleur cable routing, Ø27.2mm seatpost, Ø34.9mm high clamp front derailleur mount
FORK	RockShox XC28, 100mm (XS 80mm) travel, alloy crown, magnesium lowers, 9mm QR, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Alivio 3 x 9-speed Rapid Fire
FRONT DERAILEUR	Shimano Alivio low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Deore long cage
CRANKSET	Shimano Alivio triple: XXS/XS - 170mm SM/MD/LG/XL - 175mm
CHAINWHEEL	Shimano 40/30/22T
BOTTOM BRACKET	Shimano sealed threaded

CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 9-speed 11-36T
BRAKE LEVERS	Tektro Auriga hydraulic disc brake
FRONT BRAKE	Tektro Auriga hydraulic disc w/ 180mm rotor
REAR BRAKE	Tektro Auriga hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado
SEAT POST	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS/SM - Ø27.2 x 350mm MD/LG/XL - Ø27.2 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø31.8mm
RIMS / WHEEL-SET	Aluminum double-wall i23, 29"
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel w/ aluminum nipples
TIRES	Schwalbe Rapid Rob Kevlar Guard, 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71.5	71.5	71.5	71.5
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	440	440	440	440
WHEELBASE	1049	1064	1084	1104	1127
STANDOVER	679	714	760	794	823
RAKE	51	46	46	46	46
REACH	378	396	413	430	450
STACK	593	616	625	635	644



Nine30

FINISH (ACCENTS): Satin Black (Charcoal)

WEIGHT	12.3kg, 27lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, ControlTaper head tube, machined yoke, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	RockShox Recon Silver Solo Air, 100mm travel (XS 80mm), PopLoc remote lock out, adjustable rebound, tapered aluminum steerer tube, forged aluminum crown, magnesium lowers, 15mm Maxle, post style disc mount
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 5mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore Rapid-Fire 2 x 10-speed
FRONT DERAILEUR	Shimano Deore low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano XT Shadow long cage
CRANKSET	Shimano Deore Hollowtech II double: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T

BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Magura MT2
FRONT BRAKE	Magura MT2 hydraulic disc w/ 180mm rotor
REAR BRAKE	Magura MT2 hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado Cr-Mo rails
SEAT POST	Felt butted 6061 aluminum, 2-bolt micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 15mm axle
REAR HUB	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel w/ aluminum nipples
TIRES	Schwalbe Racing Ralph Evo T/L folding 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71	71	71	71
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	445	445	445	445
WHEELBASE	1049	1075	1095	1115	1136
STANDOVER	679	714	760	794	823
RAKE	46	46	46	46	46
REACH	384	397	414	431	448
STACK	595	614	623	632	642



Nine50

FINISH (ACCENTS): Satin Steel Blue (Orange)

WEIGHT	13kg, 28.6lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	RockShox XC30, 100mm travel, PopLoc remote lock out, adjustable rebound, forged aluminum crown, magnesium lowers, 9mm QR, post style disc mount
HEADSET	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore Rapid-Fire 3 x 10-speed
FRONT DERAILEUR	Shimano Deore low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano XT Shadow long cage
CRANKSET	Shimano Deore Hollowtech II triple: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 42/32/24T
BOTTOM BRACKET	Shimano sealed threaded

PEDALS	Low-profile aluminum platform
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano M355 hydraulic disc brake
FRONT BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 180mm rotor
REAR BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Silverado
SEAT POST	Felt butted 6061 aluminum w/ 2-bolt micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, Center Lock disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel w/ aluminum nipples
TIRES	Schwalbe Racing Ralph Performance folding 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71	71	71	71
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	445	445	445	445
WHEELBASE	1049	1075	1095	1115	1136
STANDOVER	679	714	760	794	823
RAKE	46	46	46	46	46
REACH	384	397	414	431	448
STACK	595	614	623	632	642



Nine60

FINISH (ACCENTS): 1) Gloss White (Black, Red)
2) Satin Black (Red, Charcoal)

WEIGHT	13.8kg, 30.4lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	Suntour XCM HLO, 100mm travel 1-1/8" steerer tube, forged 6061 crown, hydraulic lockout, 30mm stanchion, aluminum lowers, double coil spring + MCU, w/ preload adjust
HEADSET	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB double-butted 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Acera Rapid-Fire 3 x 9-speed
FRONT DERAILEUR	Shimano Acera low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Deore Shadow long cage
CRANKSET	Shimano Acera triple: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 44/32/22T

BOTTOM BRACKET	Sealed cartridge, square taper axle
PEDALS	Low-profile nylon platform
CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 9-speed 11-36 T
BRAKE LEVERS	Shimano M355 hydraulic disc brake
FRONT BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 180mm rotor
REAR BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	Felt MTB performance
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall i23, 29"
FRONT HUB	Forged aluminum, Center Lock disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel
TIRES	Schwalbe Rapid Rob folding, 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71	71	71	71
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	445	445	445	445
WHEELBASE	1049	1075	1095	1115	1136
STANDOVER	679	714	760	794	823
RAKE	46	46	46	46	46
REACH	384	397	414	431	448
STACK	595	614	623	632	642



Nine70

FINISH (ACCENTS): 1) Satin Charcoal (Black, Blue)
2) Race Red (Black, White)

WEIGHT	14.4kg, 31.6lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	Suntour XCM HLO, 100mm travel 1-1/8" steerer tube, forged 6061 crown, hydraulic lockout, 30mm stanchion, aluminum lowers, double coil spring + MCU, w/ preload adjust
HEADSET	FSA No.10 semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 680mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Acera Rapid-Fire 3 x 9-speed
FRONT DERAILEUR	Shimano Acera low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Alivio long cage
CRANKSET	Suntour XCM triple w/ forged aluminum arms: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Suntour 42/32/22T

BOTTOM BRACKET	Sealed cartridge, square taper axle
PEDALS	Low-profile nylon platform
CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 9-speed 11-36 T
BRAKE LEVERS	Tektro Auriga hydraulic disc brake
FRONT BRAKE	Tektro Auriga hydraulic disc w/ 180mm rotor
REAR BRAKE	Tektro Auriga hydraulic disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	Felt MTB performance
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall i23, 29"
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel
TIRES	Schwalbe Rapid Rob Kevlar Guard, 29" x 2.25"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71	71	71	71
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	445	445	445	445
WHEELBASE	1049	1075	1095	1115	1136
STANDOVER	679	714	760	794	823
RAKE	46	46	46	46	46
REACH	384	397	414	431	448
STACK	595	614	623	632	642



Nine80

FINISH (ACCENTS): Satin Black (White, Charcoal)

WEIGHT	14.4kg, 31.6lb
FRAME	Felt XC, butted 6061 aluminum, Hydroform, semi-integrated head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm low clamp front derailleur
FORK	Suntour XCT, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, 28mm stanchion, aluminum lowers, coil spring + MCU, w/ preload adjust
HEADSET	FSA No.10 semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XS - 70mm SM - 80mm MD - 80mm LG - 90mm XL - 100mm
HANDLEBAR	Felt MTB 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 680mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Altus 3 x 8-speed
FRONT DERAILEUR	Shimano Altus low clamp Ø34.9mm, bottom pull
REAR DERAILEUR	Shimano Acera
CRANKSET	Suntour XCT triple w/ forged aluminum arms: XS/SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Suntour 42/32/22T
BOTTOM BRACKET	Sealed cartridge, square taper axle

PEDALS	Low-profile nylon platform
CHAIN	Sunrace
FREEWHEEL / CASSETTE	Sunrace 8-speed 11-34T
BRAKE LEVERS	Tektro MTB
FRONT BRAKE	Tektro Novella mechanical disc w/ 180mm rotor
REAR BRAKE	Tektro Novella mechanical disc w/ 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	Felt MTB performance
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall i23 29"
FRONT HUB	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
REAR HUB	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
SPOKES	2.0mm stainless steel
TIRES	Impac RidgePac by Schwalbe, 29" x 2.1"

GEOMETRY CHART:

SIZE:	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
HA	71	71	71	71	71
SA	73.5	73	73	73	73
TT HORIZ	560	585	605	625	645
HT LENGTH	90	90	100	110	120
SEAT TUBE C-T	356	406	457	508	559
BB DROP	65	65	65	65	65
CS	440	445	445	445	445
WHEELBASE	1049	1075	1095	1115	1136
STANDOVER	679	714	760	794	823
RAKE	46	46	46	46	46
REACH	384	397	414	431	448
STACK	595	614	623	632	642