



Virtue1

FINISH (ACCENTS): Satin Carbon (Grey, Red)

WEIGHT	11.5kg, 25.3lb
FRAME	Felt Trail, UHC Advanced + TeXtreme carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch RT3 w/ custom tune, 200 x 57mm
FORK	RockShox Revelation RLT, 140mm travel, Solo Air, PushLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 70mm MD - 70mm LG - 80mm XL - 80mm
HANDLEBAR	Felt MTB carbon, Ø31.8mm, 8mm rise x 9° sweep, 720mm width
GRIPS	ESI Racers Edge, silicon
BAR ENDS/CAPS	ESI bar plus
SHIFTERS	SRAM X1 right only, 11-speed
REAR DERAILLEUR	SRAM X01
CRANKSET	SRAM X01 carbon, single: SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL	30T 1x11-speed
BOTTOM BRACKET	GXP sealed threaded
CHAIN	SRAM X01
FREEWHEEL / CASSETTE	SRAM X01 11-speed 10-42T
BRAKE LEVERS	SRAM XO Trail
FRONT BRAKE	SRAM X0 Trail hydraulic disc brake w/ 180mm rotor, 6-bolt
REAR BRAKE	SRAM X0 Trail hydraulic disc brake w/ 180mm rotor, 6-bolt
CABLES	Felt All-Weather Sealed Slick derailleur cables
SADDLE	WTB Volt Cr-Mo rails
SEAT POST	RockShox Reverb Stealth dropper post w/ remote: SM/MD - Ø30.9 x 355mm LG/XL - Ø30.9 x 420mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Easton Haven aluminum 29", tubeless compatible
FRONT HUB	Easton Haven 24H 15mm axle
REAR HUB	Easton Haven 24H 142 x 12mm axle
SPOKES	Sapim 2.0/1.7mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Nobby Nic TL ready, SnakeSkin folding 29" x 2.35"

GEOMETRY CHART:

SIZE	S (16)	M (18)	L (20)	XL (22)
HA	69	69	69	69
SA	74,5	74,5	74,5	74,5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652



Virtue2

FINISH (ACCENTS): Satin Carbon (White)

WEIGHT	12.9kg, 28.4lb
FRAME	Felt Trail, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch RT w/ custom tune, 200 x 57mm
FORK	RockShox Revelation RL, 140mm travel, Solo Air, PushLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 70mm MD - 70mm LG - 80mm XL - 80mm
HANDLEBAR	Felt MTB carbon, Ø31.8mm, 8mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano SLX Rapid-Fire 2 x 10-speed
FRONT DERAILEUR	Shimano SLX high direct mount, top pull
REAR DERAILEUR	Shimano XT Shadow Plus long cage



CRANKSET	Shimano XT Hollowtech II double: SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano Deore
FRONT BRAKE	Shimano Deore disc w/180mm 6-bolt rotor
REAR BRAKE	Shimano Deore disc w/180mm 6-bolt rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Volt Cr-Mo rails
SEAT POST	RockShox Reverb Stealth dropper post w/ remote: SM/MD - Ø30.9 x 355mm LG/XL - Ø30.9 x 420mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Easton EA70 XL 29"
FRONT HUB	Easton EA70 XL 6-bolt mount, 15mm axle
REAR HUB	Easton EA70 XL 6-bolt mount, 142 x 12mm axle
SPOKES	1.8mm straight pull stainless steel w/ aluminum nipples
TIRES	Schwalbe Nobby Nic TL ready, SnakeSkin folding 29" x 2.35"

GEOMETRY CHART:

SIZE	S (16)	M (18)	L (20)	XL (22)
HA	69	69	69	69
SA	74,5	74,5	74,5	74,5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652



Virtue3

FINISH (ACCENTS): Satin Charcoal (Black, Green)

WEIGHT	13.5kg, 29.7lb
FRAME	Felt Trail, UHC Performance carbon fiber, MMC w/ InsideOut construction, full carbon dropouts, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, internal derailleur cable/brake hose/dropper post routing, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch RT w/ custom tune, 200 x 57mm
FORK	RockShox Sektor Gold 140mm travel Solo Air, PushLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 70mm MD - 70mm LG - 80mm XL - 80mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 5mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, Lock-On
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 2 x 10-speed
FRONT DERAILEUR	Shimano Deore high direct mount, top pull
REAR DERAILEUR	Shimano XT Shadow Plus long cage

CRANKSET	Shimano Deore Hollowtech II double: SM - 170mm MD/LG/XL - 175mm
CHAINWHEEL	Shimano 38/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano Deore hydraulic disc brake
FRONT BRAKE	Shimano Deore hydraulic disc brake w/ 180mm rotor
REAR BRAKE	Shimano Deore hydraulic disc brake w/ 180mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Volt Cr-Mo rails
SEAT POST	KS Eten dropper post non-remote: SM/MD - Ø30.9 x 350mm LG/XL - Ø30.9 x 420mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, 6 bolt disc mount 32H, 15mm axle
REAR HUB	Forged aluminum, sealed bearing, 6-bolt disc mount, 32H, 142 x 12mm axle
SPOKES	2.0/1.8mm double-buttet stainless steel w/ aluminum nipples
TIRES	Schwalbe Nobby Nic Performance folding 29" x 2.35"

GEOMETRY CHART:

SIZE	S (16)	M (18)	L (20)	XL (22)
HA	69	69	69	69
SA	74,5	74,5	74,5	74,5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652



Virtue50

FINISH (ACCENTS): Satin Cool Grey (Grey, White)

WEIGHT	14.8kg, 32.6lb
FRAME	Felt Trail, double-buttet 6061 aluminum, Hydroform, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch RT w/ custom tune, 200 x 57mm
FORK	RockShox Sektor Silver 140mm travel PopLoc remote lockout, hollow 6061 aluminum crown, tapered aluminum steerer tube, magnesium lowers, 15mm Maxle, post style disc mounts
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 70mm MD - 70mm LG - 80mm XL - 80mm
HANDLEBAR	Felt MTB double-buttet 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 3 x 10-speed
FRONT DERAILEUR	Shimano Deore high direct mount, top pull
REAR DERAILEUR	Shimano XT Shadow Plus long cage
CRANKSET	Shimano Deore Hollowtech II triple: SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL	Shimano 42/32/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano M355 hydraulic disc brake
FRONT BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 180mm rotor
REAR BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Volt steel rails
SEAT POST	KS Eten dropper post non-remote: SM/MD - Ø30.9 x 350mm LG/XL - Ø30.9 x 420mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	WTB Speed Disc i23, 29" double-wall aluminum w/ eyelets
FRONT HUB	Forged aluminum, Center Lock disc mount 32H, 15mm axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H, 142 x 12mm axle
SPOKES	2.0mm stainless steel
TIRES	Schwalbe Nobby Nic Performance folding 29" x 2.35"

GEOMETRY CHART:

SIZE	S (16)	M (18)	L (20)	XL (22)
HA	69	69	69	69
SA	74,5	74,5	74,5	74,5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652



Virtue60

FINISH (ACCENTS): Satin Black (Silver, Red)

WEIGHT	14.30kg, 31.5lb
FRAME	Felt Trail, double-butted 6061 aluminum, Hydroform, 130mm travel, Equilink suspension technology, ControlTaper head tube, post disc mount, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 12 x 142mm w/ Syntace style thru axle, Ø30.9mm seatpost size, high direct FD mount
SHOCK	RockShox Monarch R w/ custom tune, 200 x 57mm
FORK	Suntour Aion LO-R, 140mm travel, hydraulic lock w/rebound adjuster, Air Spring, tapered steerer, 34mm butted stanchions, Magnesium lowers, 15mm axle
HEADSET	FSA No.42 integrated tapered Aheadset, custom cone spacer 1 x 8mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
STEM	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: SM - 70mm MD - 70mm LG - 80mm XL - 80mm
HANDLEBAR	Felt MTB double-butted 6061 aluminum, Ø31.8mm, 15mm rise x 9° sweep, 720mm width
GRIPS	Felt Wing Grip, double-density
BAR ENDS/CAPS	Felt Bubble-Tech F-Wing
SHIFTERS	Shimano Deore 3 x 10-speed
FRONT DERAILEUR	Shimano Deore high direct mount, top pull
REAR DERAILEUR	Shimano Deore long cage
CRANKSET	Shimano Deore Hollowtech II triple: SM - 170mm MD/LG/XL - 175mm

CHAINWHEEL	Shimano 42/32/24T
BOTTOM BRACKET	Shimano sealed threaded
CHAIN	Shimano
FREEWHEEL / CASSETTE	Shimano 10-speed 11-36T
BRAKE LEVERS	Shimano M355 hydraulic disc brake
FRONT BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 180mm rotor
REAR BRAKE	Shimano M355 hydraulic disc brake w/ Center Lock 160mm rotor
CABLES	Felt All-Weather Sealed Slick
SADDLE	WTB Volt steel rails
SEAT POST	Felt butted 6061 aluminum micro-adjust 15mm offset: SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
SEAT POST CLAMP	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
RIMS / WHEEL-SET	Aluminum double-wall i23, 29"
FRONT HUB	Forged aluminum, Center Lock disc mount 32H, 15mm axle
REAR HUB	Forged aluminum, Center Lock disc mount, 32H, 142 x 12mm axle
SPOKES	2.0mm stainless steel
TIRES	Schwalbe Nobby Nic Performance folding 29" x 2.35"

GEOMETRY CHART:

SIZE	S (16)	M (18)	L (20)	XL (22)
HA	69	69	69	69
SA	74,5	74,5	74,5	74,5
TT HORIZ	563	591	620	649
HT LENGTH	100	110	120	130
SEAT TUBE C-T	410	460	510	560
BB DROP	36	36	36	36
CS	450	450	450	450
WHEELBASE	1114	1143	1173	1203
STANDOVER	706	745	774	790
RAKE	46	46	46	46
REACH	390	415	442	468
STACK	624	634	643	652