



## Six60

**FINISH (ACCENTS):** Satin Charcoal (Charcoal, Red)

<b>WEIGHT</b>	13.9kg, 30.6lb
<b>FRAME</b>	Felt XC, 6061 butted aluminum, Dynaform, oversized semi-integrated 1-1/8" head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp
<b>FORK</b>	Suntour XCM HLO, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, hydraulic lockout, 30mm stanchion, aluminum lowers, double coil spring + MCU, w/ preload adjust
<b>HEADSET</b>	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 15mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
<b>STEM</b>	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XXS - 70mm XS - 70mm SM - 80mm MD - 90mm LG/XL - 100mm
<b>HANDLEBAR</b>	Felt MTB 6061 aluminum, 25mm rise x 9° sweep: XXS/XS/SM - 640mm MD/LG/XL - 680mm
<b>GRIPS</b>	Felt Wing Grip, double-density
<b>BAR ENDS/CAPS</b>	Felt Bubble-Tech F-Wing
<b>SHIFTERS</b>	Shimano Acera 3 x 9-speed Rapid Fire
<b>FRONT DERAILEUR</b>	Shimano Acera low clamp Ø34.9mm, bottom pull
<b>REAR DERAILEUR</b>	Shimano Deore long cage
<b>CRANKSET</b>	Shimano Acera triple: XXS/XS/SM - 170mm MD/LG/XL - 175mm

<b>CHAINWHEEL</b>	Shimano 44/32/22T
<b>BOTTOM BRACKET</b>	Sealed cartridge, square taper axle
<b>PEDALS</b>	Low-profile nylon platform
<b>CHAIN</b>	Sunrace
<b>FREEWHEEL / CASSETTE</b>	Sunrace 9-speed 11-34T
<b>BRAKE LEVERS</b>	Shimano M355 hydraulic disc brake
<b>FRONT BRAKE</b>	Shimano M355 hydraulic disc brake w/ 180mm rotor
<b>REAR BRAKE</b>	Shimano M355 hydraulic disc brake w/ 160mm rotor
<b>CABLES</b>	Felt All-Weather Sealed Slick
<b>SADDLE</b>	Felt MTB performance
<b>SEAT POST</b>	Felt butted 6061 aluminum micro-adjust 15mm offset: XXS/XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
<b>SEAT POST CLAMP</b>	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
<b>RIMS / WHEEL-SET</b>	Aluminum double-wall i19, 26"
<b>FRONT HUB</b>	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
<b>REAR HUB</b>	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
<b>SPOKES</b>	2.0mm stainless steel
<b>TIRES</b>	Felt THC MTB, 26" x 2.1"

### GEOMETRY CHART:

SIZE:	XXS (12")	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
<b>HA</b>	69	69	69	69	69	69
<b>SA</b>	73	73	73	73	73	73
<b>TT HORIZ</b>	519	544	568	592	617	638
<b>HT LENGTH</b>	110	120	135	145	160	170
<b>SEAT TUBE C-T</b>	305	356	406	457	508	559
<b>BB DROP</b>	35	35	35	35	35	35
<b>CS</b>	425	425	425	425	425	425
<b>WHEELBASE</b>	1013	1039	1064	1088	1113	1136
<b>STANDOVER</b>	623	668	703	743	786	823
<b>RAKE</b>	38	38	38	38	38	38
<b>REACH</b>	349	365	383	403	424	442
<b>STACK</b>	554	582	596	606	620	629



## Six70

**FINISH (ACCENTS):** Satin Black (Charcoal, Orange)

<b>WEIGHT</b>	14.1kg, 31.lb
<b>FRAME</b>	Felt XC, 6061 butted aluminum, Dynaform, oversized semi-integrated 1-1/8" head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp
<b>FORK</b>	Suntour XCT HLO, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, mechanical lockout, 28mm stanchion, aluminum lowers, coil spring + MCU, w/ preload adjust
<b>HEADSET</b>	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 15mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
<b>STEM</b>	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XXS - 70mm XS - 70mm SM - 80mm MD - 90mm LG/XL - 100mm
<b>HANDLEBAR</b>	Felt MTB 6061 aluminum, 25mm rise x 9° sweep: XXS/XS/SM - 640mm MD/LG/XL - 680mm
<b>GRIPS</b>	Felt Wing Grip, double-density
<b>BAR ENDS/CAPS</b>	Felt Bubble-Tech F-Wing
<b>SHIFTERS</b>	Shimano Acera 3 x 9-speed Rapid Fire
<b>FRONT DERAILEUR</b>	Shimano Acera low clamp Ø34.9mm, bottom pull
<b>REAR DERAILEUR</b>	Shimano Alivio long cage
<b>CRANKSET</b>	Suntour XCM triple w/ forged aluminum arms: XXS/XS/SM - 170mm MD/LG/XL - 175mm

<b>CHAINWHEEL</b>	Suntour 44/32/22T
<b>BOTTOM BRACKET</b>	Sealed cartridge, square taper axle
<b>PEDALS</b>	Low-profile nylon platform
<b>CHAIN</b>	Sunrace
<b>FREEWHEEL / CASSETTE</b>	Sunrace 9-speed 11-34T
<b>BRAKE LEVERS</b>	Tektro Auriga hydraulic disc brake
<b>FRONT BRAKE</b>	Tektro Auriga hydraulic disc w/ 180mm rotor
<b>REAR BRAKE</b>	Tektro Auriga hydraulic disc w/ 160mm rotor
<b>CABLES</b>	Felt All-Weather Sealed Slick
<b>SADDLE</b>	Felt MTB performance
<b>SEAT POST</b>	Felt butted 6061 aluminum micro-adjust 15mm offset: XXS/XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
<b>SEAT POST CLAMP</b>	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
<b>RIMS / WHEEL-SET</b>	Aluminum double-wall i19 26"
<b>FRONT HUB</b>	Forged aluminum, 6-bolt disc mount, 32H, 9mm QR axle
<b>REAR HUB</b>	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
<b>SPOKES</b>	2.0mm stainless steel
<b>TIRES</b>	Felt THC MTB, 26" x 2.1"

### GEOMETRY CHART:

SIZE:	XXS (12")	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
<b>HA</b>	69	69	69	69	69	69
<b>SA</b>	73	73	73	73	73	73
<b>TT HORIZ</b>	519	544	568	592	617	638
<b>HT LENGTH</b>	110	120	135	145	160	170
<b>SEAT TUBE C-T</b>	305	356	406	457	508	559
<b>BB DROP</b>	35	35	35	35	35	35
<b>CS</b>	425	425	425	425	425	425
<b>WHEELBASE</b>	1013	1039	1064	1088	1113	1136
<b>STANDOVER</b>	623	668	703	743	786	823
<b>RAKE</b>	38	38	38	38	38	38
<b>REACH</b>	349	365	383	403	424	442
<b>STACK</b>	554	582	596	606	620	629



## Six80

**FINISH (ACCENTS):** Satin Metallic Blue (Blue, Chartreuse)

<b>WEIGHT</b>	14.1kg, 31lb
<b>FRAME</b>	Felt XC, 6061 aluminum, Dynaform, oversized semi-integrated 1-1/8" head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp
<b>FORK</b>	Suntour XCT, 100mm travel, 1-1/8" steerer tube, forged 6061 crown, 28mm stanchion, aluminum lowers, coil spring + MCU, w/ preload adjust
<b>HEADSET</b>	FSA No.10 semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 15mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
<b>STEM</b>	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XXS - 70mm XS - 70mm SM - 80mm MD - 90mm LG/XL - 100mm
<b>HANDLEBAR</b>	Felt MTB 6061 aluminum, 25mm rise x 9° sweep: XXS/XS/SM - 640mm MD/LG/XL - 680mm
<b>GRIPS</b>	Felt Wing Grip, double-density
<b>BAR ENDS/CAPS</b>	Felt Bubble-Tech F-Wing
<b>SHIFTERS</b>	Shimano Altus 3 x 8-speed w/ brake lever
<b>FRONT DERAILEUR</b>	Shimano Altus low clamp Ø34.9mm, bottom pull
<b>REAR DERAILEUR</b>	Shimano Acera long cage
<b>CRANKSET</b>	Suntour XCT triple w/ forged aluminum arms: XXS/XS/SM - 170mm MD/LG/XL - 175mm

<b>CHAINWHEEL</b>	Suntour 44/32/22T
<b>BOTTOM BRACKET</b>	Sealed cartridge, square taper axle
<b>PEDALS</b>	Low-profile nylon platform
<b>CHAIN</b>	Sunrace
<b>FREEWHEEL / CASSETTE</b>	Sunrace 8-speed 11-34T
<b>BRAKE LEVERS</b>	Tektro MTB
<b>FRONT BRAKE</b>	Tektro Novella mechanical disc w/ 180mm rotor
<b>REAR BRAKE</b>	Tektro Novella mechanical disc w/ 160mm rotor
<b>CABLES</b>	Felt All-Weather Sealed Slick
<b>SADDLE</b>	Felt MTB performance
<b>SEAT POST</b>	Felt butted 6061 aluminum micro-adjust 15mm offset: XXS/XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
<b>SEAT POST CLAMP</b>	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
<b>RIMS / WHEEL-SET</b>	Aluminum double-wall i19, 26"
<b>FRONT HUB</b>	Forged aluminum, 6-Bolt disc mount, 32H, 9mm QR axle
<b>REAR HUB</b>	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
<b>SPOKES</b>	2.0mm stainless steel
<b>TIRES</b>	Felt THC MTB, 26" x 2.1"

### GEOMETRY CHART:

SIZE:	XXS (12")	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
<b>HA</b>	69	69	69	69	69	69
<b>SA</b>	73	73	73	73	73	73
<b>TT HORIZ</b>	519	544	568	592	617	638
<b>HT LENGTH</b>	110	120	135	145	160	170
<b>SEAT TUBE C-T</b>	305	356	406	457	508	559
<b>BB DROP</b>	35	35	35	35	35	35
<b>CS</b>	425	425	425	425	425	425
<b>WHEELBASE</b>	1013	1039	1064	1088	1113	1136
<b>STANDOVER</b>	623	668	703	743	786	823
<b>RAKE</b>	38	38	38	38	38	38
<b>REACH</b>	349	365	383	403	424	442
<b>STACK</b>	554	582	596	606	620	629



## Six90

**FINISH (ACCENTS):** Satin Black (Charcoal, Silver)

<b>WEIGHT</b>	13.3kg, 29.2lb
<b>FRAME</b>	Felt XC, 6061 aluminum, Dynaform, oversized semi-integrated 1-1/8" head tube, replaceable derailleur hanger, IS disc mounts, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp
<b>FORK</b>	Suntour M3030, 75mm travel, 1-1/8" steerer tube, forged aluminum crown, 25.4mm stanchion, aluminum lowers, coil spring w/ preload adjust
<b>HEADSET</b>	FSA No.10 semi-integrated 1-1/8" Ahead-set, custom cone spacer 1 x 15mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
<b>STEM</b>	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XXS - 70mm XS - 70mm SM - 80mm MD - 90mm LG/XL - 100mm
<b>HANDLEBAR</b>	Felt MTB 6061 aluminum, 25mm rise x 9° sweep: XXS/XS/SM - 640mm MD/LG/XL - 680mm
<b>GRIPS</b>	Felt MTB design, extra soft
<b>SHIFTERS</b>	Shimano EZ-Fire Plus, 3 x 7-speed
<b>FRONT DERAILEUR</b>	Shimano Tourney low clamp Ø34.9mm, bottom pull
<b>REAR DERAILEUR</b>	Shimano Altus Smart cage
<b>CRANKSET</b>	CW triple w/ forged aluminum arms: XXS/XS/SM - 170mm MD/LG/XL - 175mm
<b>CHAINWHEEL</b>	48/38/28T
<b>BOTTOM BRACKET</b>	Sealed cartridge, square taper axle

<b>PEDALS</b>	Low-profile nylon platform
<b>CHAIN</b>	KMC
<b>FREEWHEEL / CASSETTE</b>	Sunrace, 7-speed. 13-34T
<b>BRAKE LEVERS</b>	Shimano MTB
<b>FRONT BRAKE</b>	Tektro Novella mechanical disc w/ 180mm rotor
<b>REAR BRAKE</b>	Tektro Novella mechanical disc w/ 160mm rotor
<b>CABLES</b>	Felt Sealed Slick
<b>SADDLE</b>	Felt MTB performance
<b>SEAT POST</b>	Felt butted 6061 aluminum micro-adjust 15mm offset: XXS/XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
<b>SEAT POST CLAMP</b>	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
<b>RIMS / WHEEL-SET</b>	Aluminum double-wall i19, 26"
<b>FRONT HUB</b>	Forged aluminum, 6-Bolt disc mount, 32H, 9mm QR axle
<b>REAR HUB</b>	Forged aluminum, 6-bolt disc mount, 32H, 135 x 10mm axle
<b>SPOKES</b>	2.0mm stainless steel
<b>TIRES</b>	Felt THC MTB, 26" x 2.1"

### GEOMETRY CHART:

SIZE:	XXS (12")	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
<b>HA</b>	69	69	69	69	69	69
<b>SA</b>	73	73	73	73	73	73
<b>TT HORIZ</b>	519	544	568	592	617	638
<b>HT LENGTH</b>	110	120	135	145	160	170
<b>SEAT TUBE C-T</b>	305	356	406	457	508	559
<b>BB DROP</b>	35	35	35	35	35	35
<b>CS</b>	425	425	425	425	425	425
<b>WHEELBASE</b>	1013	1039	1064	1088	1113	1136
<b>STANDOVER</b>	623	668	703	743	786	823
<b>RAKE</b>	38	38	38	38	38	38
<b>REACH</b>	349	365	383	403	424	442
<b>STACK</b>	554	582	596	606	620	629



## Six95

**FINISH (ACCENTS):** Gloss White (Black, Red)

<b>WEIGHT</b>	13.7kg, 30.1lb
<b>FRAME</b>	Felt XC, 6061 aluminum, Dynaform, over-sized semi-integrated 1-1/8" head tube, replaceable derailleur hanger, standard 73mm threaded bottom bracket, 135mm OLD, Ø30.9mm seatpost, Ø34.9mm front derailleur clamp
<b>FORK</b>	Suntour M3030, 75mm travel, 1-1/8" steerer tube, forged aluminum crown, 25.4mm stanchion, aluminum lowers, coil spring w/ preload adjust
<b>HEADSET</b>	FSA No.10 semi-integrated 1-1/8" Aheadset, custom cone spacer 1 x 15mm + 2 x 5mm straight spacers, w/ Felt Tornado aluminum top cap
<b>STEM</b>	Felt MTB 3D-forged threadless 1-1/8" +/- 7° rise for Ø31.8mm handlebar w/ black Cr-Mo bolts: XXS - 70mm XS - 70mm SM - 80mm MD - 90mm LG/XL - 100mm
<b>HANDLEBAR</b>	Felt MTB 6061 aluminum, 25mm rise x 9° sweep: XXS/XS/SM - 640mm MD/LG/XL - 680mm
<b>GRIPS</b>	Felt MTB design, extra soft
<b>SHIFTERS</b>	Shimano EZ-Fire Plus, 3 x 7-speed
<b>FRONT DERAILEUR</b>	Shimano Tourney low clamp Ø34.9mm, bottom pull
<b>REAR DERAILEUR</b>	Shimano Altus Smart cage
<b>CRANKSET</b>	CW triple w/ forged aluminum arms: XXS/XS/SM - 170mm MD/LG/XL - 175mm
<b>CHAINWHEEL</b>	48/38/28T
<b>BOTTOM BRACKET</b>	Sealed cartridge, square taper axle

<b>PEDALS</b>	Low-profile nylon platform
<b>CHAIN</b>	KMC
<b>FREEWHEEL / CASSETTE</b>	Sunrace, 7-speed. 13-34T
<b>BRAKE LEVERS</b>	Shimano MTB
<b>FRONT BRAKE</b>	Tektro aluminum v-type
<b>REAR BRAKE</b>	Tektro aluminum v-type
<b>CABLES</b>	Felt Sealed Slick brake & derailleur cables
<b>SADDLE</b>	Felt MTB performance
<b>SEAT POST</b>	Felt butted 6061 aluminum micro-adjust 15mm offset: XXS/XS/SM - Ø30.9 x 350mm MD/LG/XL - Ø30.9 x 400mm
<b>SEAT POST CLAMP</b>	Aluminum 6061 CNC cold-forged w/ barrel nut design, Ø34.9mm
<b>RIMS / WHEEL-SET</b>	Aluminum double-wall for v-brake CNC sidewalls i19, 26"
<b>FRONT HUB</b>	Forged aluminum, 32H, 9mm QR axle
<b>REAR HUB</b>	Forged aluminum, 32H, 135 x 10mm axle
<b>SPOKES</b>	2.0mm stainless steel
<b>TIRES</b>	Felt THC MTB, 26" x 2.1"

### GEOMETRY CHART:

SIZE:	XXS (12")	XS (14")	SM (16")	MD (18")	LG (20")	XL (22")
<b>HA</b>	69	69	69	69	69	69
<b>SA</b>	73	73	73	73	73	73
<b>TT HORIZ</b>	519	544	568	592	617	638
<b>HT LENGTH</b>	110	120	135	145	160	170
<b>SEAT TUBE C-T</b>	305	356	406	457	508	559
<b>BB DROP</b>	35	35	35	35	35	35
<b>CS</b>	425	425	425	425	425	425
<b>WHEELBASE</b>	1013	1039	1064	1088	1113	1136
<b>STANDOVER</b>	623	668	703	743	786	823
<b>RAKE</b>	38	38	38	38	38	38
<b>REACH</b>	349	365	383	403	424	442
<b>STACK</b>	554	582	596	606	620	629