R Florian Konietzko, Guido Thaler
P Markus Greber
L Stoneman Trail Sexten

Thunderbolt

Mit spielerisch kurzen Kettenstreben und einer ganzen Palette von Einstellungsmöglichkeiten fühlt sich das Thunderbolt fast überall zu Hause. Egal, ob Du auf langen, technischen Anstiegen kraftvoll durchs Grobe pedalierst oder spielerisch über alles springen willst, was Dir der Trail bietet.

Die Schmiernippel an den Hauptlagern machen die Wartung dieses leichten und steifen Rahmens zum Kinderspiel. Dank der Smoothwall-Technologie bringt der Carbonrahmen des neuen Thunderbolt 799 MSL lediglich 2.350g auf die Waage.

2016 erweitern wir das Thunderbolt-Angebot um einen sehr leichten Aluminiumrahmen, ausgestattet mit unserem populären RIDE-9 System zur Geometrie- und Federungseinstellung.

27.5 ZOLL
LAUFRADGRÖßE

120 MM
FEDERUNG VORNE

120 MM
FEDERUNG HINTEN

XC TRAIL
EINSATZGEBIET

"Mit der spielerischen Geometrie ist das Thunderbolt das effizienteste All-Mountain Bike seiner Klasse! "

Roland Stauder Legende & Stoneman Gründer

DEMODAY BIKE

GEOMETRIE



		XS	SM	MD	LG	XL
Oberrohr (mm)	TTH	*540*	*565*	*590*	*615*	*645*
Lenkwinkel (grad)	HTA	*67.2° - 68.8°*	*67.2° - 68.8°*	*67.2° - 68.8°*	*67.2° - 68.8°*	*67.2° - 68.8°*
Steuerrohr (mm)	HTL	*100*	*110*	*120*	*130*	*145*
Sitzwinkel (grad)	STA	*73.7° - 75.3°*	*73.7° - 75.3°*	*73.7° - 75.3°*	*73.7° - 75.3°*	*73.7° - 75.3°*
Sitzrohr (mm)	STL	*381*	*419*	*457*	*483*	*521*
Kettenstrebe (mm)	CSL	*421*	*421*	*421*	*421*	*421*
Tretlagerabsenkung (mm)	BBD	*25.2 to 4.7*	*25.2 to 4.7*	*25.2 to 4.7*	*25.2 to 4.7*	*25.2 to 4.7*
Reach (mm)	R	*376 - 393*	*398-415*	*420 - 437*	*443 - 460*	*469 - 486*
Stack (mm)	S	*544 - 552*	*553 - 561*	*562 - 570*	*572 - 580*	*586 - 594*
Schritthöhe (mm)	SH	*695*	*695*	*695*	*695*	*695*
Radstand (mm)	WB	*1073*	*1100*	*1126*	*1153*	*1184*

RAHMEN TECHNOLOGIE

SMOOTHWALL
CARBON

BC2
PIVOTS

FORM ALLOY
ALLOY

PIPELOCK
COLLET SYSTEM

RIDE-9
ADJUSTABILITY

RTC
DESIGN

SMOOTHLINK
FEDERUNGSSYSTEM

THUNDERBOLT 799 MSL

GLOSS WHITE/OXBLOOD/BLACK

Rahmen	Smoothwall Carbon. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate. Di2 Ready.
Dämpfer	Fox Float DPS Kashima Rear Remote Custom Valved. SmoothLink Design 120mm. Rebound / Remote Firm - Medium - Open Settings
Gabel	Fox 32 Float Fit4 Adjust Kashima. 120mm. Rebound / Firm - Medium - Adjustable Open Settings / Tapered Steerer
Steuersatz	FSA Orbit C-40: IS42mm Top / 52mm Bottom Tapered
Bremshebel	Shimano XTR
Bremsen	Shimano XTR Ice Tech Hydraulic Disc 180mm
Kassette	Shimano XTR 11-40T 11spd
Kette	Shimano XTR Sil-Tec 11spd
Kurbel	Race Face Next SL 170-175mm 38/28T 2x11spd
Tretlager	Race Face Cinch 30mm BB92 Pressfit
Schalthebel	Shimano XTR Switch Shift Di2 2x11spd
Umwerfer	Shimano XTR Di2 E Mount 2x11spd
Schaltwerk	Shimano XTR Di2 Shadow Plus Direct Mount 11spd
Vorderradnabe	Stan's Neo + / Oversized Stainless Bearings / 15mm Axle
Hinterradnabe	Stan's Neo + / Wide Stance Oversized Stainless Bearings / 6 Pawl - 5deg Engagement Alloy Freehub / 12 x 142mm Axle
Speichen	Sapim Laser
Felgen	Stan's Valor Carbon Tubeless Ready
Reifen	Maxxis Maxx Speed Tubeless Ready Ardent Race 27.5" x 2.2"
Lenker	Race Face Next Carbon 1/2 Rise 35mm x 740mm x 9° Sweep
Vorbau	RMB CNC 35mm 5° x 60-80mm
Griffe	ESI Silicone Super Light
Sattel	WTB Silverado Carbon
Sattelstütze	RockShox Reverb Stealth 30.9mm x 350-420mm

THUNDERBOLT 770 MSL

MATTE LEMONGRASS/BLACK/PETROL

Rahmen	Smoothwall Carbon. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate. Di2 Ready.
Dämpfer	Fox Float DPS Remote Custom Valved. SmoothLink Design 120mm. Rebound / Remote Firm - Medium - Open Settings
Gabel	Fox 32 Float Fit4 Adjust. 120mm. Rebound / Firm - Medium - Adjustable Open Settings / Tapered Steerer
Steuersatz	FSA Orbit C-40: IS42mm Top / 52mm Bottom Tapered
Bremshebel	Shimano XT I-Spec II Shifter Mount
Bremsen	Shimano XT Hydraulic Disc 180mm
Kassette	Shimano XT 11-40T 11spd
Kette	Shimano XT 11spd
Kurbel	Race Face Turbine Cinch 170-175mm 38/28T 2x11spd
Tretlager	Race Face Cinch 30mm BB92 Pressfit
Schalthebel	Shimano XT Rapid Fire I-Spec II 2x11spd
Umwerfer	Shimano XT E-Type Mount 2x11spd
Schaltwerk	Shimano XTR Shadow Plus Direct Mount 11spd
Vorderradnabe	Shimano XT / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano XT / Centerlock / 32H / 12 x 142mm Axle
Speichen	WTB 2.0-1.8 Butted
Felgen	Stan's ZTR Crest Tubeless Ready
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Race Face Turbine 1/2 Rise 35mm x 740mm x 9° Sweep
Vorbau	RMB 35mm 7° x 60-80mm
Griffe	Rocky Mountain Lock On XC
Sattel	WTB Silverado Race
Sattelstütze	RockShox Reverb Stealth 30.9mm x 355-420mm

THUNDERBOLT 750 MSL

GLOSS ROCKY MOUNTAIN RED/BLACK

Rahmen	Smoothwall Carbon. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate. Di2 Ready.
Dämpfer	Fox Float DPS Remote Custom Valved. SmoothLink Design 120mm. Rebound / Remote Firm - Medium - Open Settings
Gabel	Fox 32 Float Fit4. 120mm. Rebound / Firm - Medium - Open Settings / Tapered Steerer
Steuersatz	FSA Orbit C-40: IS42mm Top / 52mm Bottom Tapered
Bremshebel	Shimano SLX I-Spec Shifter Mount
Bremsen	Shimano SLX Hydraulic Disc 180/160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	Race Face Aeffect SL Cinch 170-175mm 38/24T 2x10spd
Tretlager	Race Face Team XC Press Fit
Schalthebel	Shimano SLX Rapid Fire I-Spec 2x10spd
Umwerfer	Shimano SLX E Mount 2x10spd
Schaltwerk	Shimano XT Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano / Centerlock / 32H / 12 x 142mm Axle
Speichen	WTB 2.0-1.8 Butted
Felgen	Wheeltech Helix TR25 Tubeless Compatible by SUNringlé
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Race Face Evolve 1/2 Rise 31.8mm x 750mm x 9° Sweep
Vorbau	RMB 6° x 60-80mm
Griffe	Rocky Mountain Lock On XC
Sattel	WTB Volt Race
Sattelstütze	X Fusion HiLo Strate 30.9mm x 420mm

T: Florian Kontny / Fotos: Trailer Jan Sallewitz
R: Markus Greber
L: Stoneman Trail Sexten

THUNDERBOLT 730 MSL

GLOSS WHITE/BLACK/ROCKY MOUNTAIN RED

Rahmen	Smoothwall Carbon Front Triangle. FORM 7005 Series Custom Formed Rear Triangle. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate. Di2 Ready.
Dämpfer	Fox Float DPS Remote Custom Valved. SmoothLink Design 120mm. Rebound / Remote Firm - Medium - Open Settings
Gabel	Manitou Marvel Pro. 120mm. TPC Absolute+ Damper / Compression / Lockout / Rebound / Tapered Steerer
Steuersatz	FSA Orbit C-40: IS42mm Top / 52mm Bottom Tapered
Bremshebel	Shimano M506 I-Spec Shifter Mount
Bremsen	Shimano M506 Hydraulic Disc 180mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	Race Face Aeffect Cinch 170-175mm 38/24T 2x10spd
Tretlager	Race Face Team XC Press Fit
Schalthebel	Shimano SLX Rapid Fire I-Spec 2x10spd
Umwerfer	Shimano Deore E Mount 2x10spd
Schaltwerk	Shimano XT Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano / Centerlock / 32H / 12 x 142mm Axle
Speichen	WTB 2.0 Stainless
Felgen	Wheeltech Helix TR25 Tubeless Compatible by SUNringlé
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Rocky Mountain Five15 XC 31.8mm x 760mm x 5° Sweep
Vorbau	RMB 7° x 60-80mm
Griffe	Rocky Mountain Lock On XC
Sattel	WTB Volt Race
Sattelstütze	Rocky Mountain SL 30.9mm x 400mm

THUNDERBOLT 750 MIT RIDE-9

GLOSS INDIGO/WHITE

Rahmen	FORM 7005 Series Custom Formed Alloy. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate.
Dämpfer	Fox Float DPS Custom Valved. SmoothLink Design 120mm. Rebound / Firm - Medium - Open Settings
Gabel	Fox 32 Float Fit4. 120mm. Rebound / Firm - Medium - Open Settings / Tapered Steerer
Steuersatz	FSA Orbit NO.57E: ZS44mm Top / ZS56mm Bottom Tapered
Bremshebel	Shimano SLX I-Spec Shifter Mount
Bremsen	Shimano SLX Hydraulic Disc 180/160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	Race Face Aeffect Cinch 170-175mm 38/24T 2x10spd
Tretlager	Race Face Team XC Press Fit
Schalthebel	Shimano SLX Rapid Fire I-Spec 2x10spd
Umwerfer	Shimano SLX E Mount 2x10spd
Schaltwerk	Shimano XT Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano / Centerlock / 32H / 12 x 142mm Axle
Speichen	WTB 2.0-1.8 Butted
Felgen	Wheeltech Helix TR25 Tubeless Compatible by SUNringlé
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Rocky Mountain Five15 XC 31.8mm x 760mm x 5° Sweep
Vorbau	RMB 7° x 70-90mm
Griffe	Rocky Mountain Lock On XC
Sattel	WTB Volt Race
Sattelstütze	Rocky Mountain SL 30.9mm x 400mm

THUNDERBOLT 730

MATTE ORANGE

Rahmen	FORM™ 7005 Series Custom Hydroformed Alloy. ABC™ Pivots. Tapered HeadTube. Press Fit BB.
Dämpfer	Fox Float CTD Custom Race Valved. SmoothLink™ Design 120mm. Rebound / Climb (Lockout) - Trail (ProPedal) - Descend (Open) Settings
Gabel	X Fusion Velvet RL2 27.5 Air. 120mm. Lockout / Rebound / 15mm Axle/
Steuersatz	Cane Creek Fifteen Series: ZS44mm Top / ZS56mm Bottom Tapered
Bremshebel	Shimano M506 I-Spec Shifter Mount
Bremsen	Shimano M506 Hydraulic Disc 180/160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	Shimano M552 170-175mm 42/32/24T 3x10spd
Tretlager	Shimano SMBB71 Press Fit
Schalthebel	Shimano Deore Rapid Fire I-Spec 3x10spd
Umwerfer	Shimano Deore E Mount 3x10spd
Schaltwerk	Shimano XT Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano 618 / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano 618 / Centerlock / 32H / 12 x 142mm Axle
Speichen	DT Swiss Champion
Felgen	Wheeltech Inferno 23 by SUNringlé
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Race Face 3/4 Rise Ø31.8mm x 740mm x 5° Sweep
Vorbau	Race Face 6° x 70-90mm
Griffe	Rocky Mountain XC Kraton
Sattel	WTB Volt
Sattelstütze	Race Face 30.9mm x 375mm

THUNDERBOLT 750

MATTE BLACK

Rahmen	FORM™ 7005 Series Custom Hydroformed Alloy. ABC™ Pivots. Tapered Head Tube. Press Fit BB.
Dämpfer	Fox Float CTD Custom Race Valved. SmoothLink™ Design 120mm. Rebound / Climb (Lockout) - Trail (ProPedal) - Descend (Open) Settings
Gabel	Fox 32 Float 27.5 120 CTD. 120mm. Rebound / Climb (Lockout) - Trail (Compression) - Descend (Open) Settings / 15mm Axle / Tapered Steerer
Steuersatz	Cane Creek Fifteen Series: ZS44mm Top / ZS56mm Bottom Tapered
Bremshebel	Shimano SLX I-Spec Shifter Mount
Bremsen	Shimano SLX Hydraulic Disc 180/160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	Race Face Turbine 170-175mm 38/24T 2x10spd
Tretlager	Race Face Team XC Press Fit
Schalthebel	Shimano SLX Rapid Fire I-Spec 2x10spd
Umwerfer	Shimano SLX E Mount 2x10spd
Schaltwerk	Shimano XT Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano SLX / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano SLX / Centerlock / 32H / 12 x 142mm Axle
Speichen	DT Swiss Competition
Felgen	Wheeltech Inferno 23 by SUNringlé
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Race Face Evolve 1/2 Rise Ø31.8mm x 750mm x 9° Sweep
Vorbau	Race Face 6° x 60-80mm
Griffe	Rocky Mountain Lock On XC
Sattel	WTB Volt Race
Sattelstütze	Race Face 30.9mm x 375mm

THUNDERBOLT 710 MIT RIDE-9

MATTE SMOKE/ICE WHITE

Rahmen	FORM 7005 Series Custom Formed Alloy. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate.
Dämpfer	Manitou Radium Expert Custom Valved. SmoothLink Design 120mm. Rebound / Lockout
Gabel	Manitou Marvel LTD.120mm / ACT Air / Compression / Lockout / Rebound / Alloy Steerer
Steuersatz	FSA Orbit NO.57E: ZS44mm Top / ZS56mm Bottom Reducer
Bremshebel	Shimano M355
Bremsen	Shimano M355 Hydraulic Disc 160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	FSA Gamma Drive 170-175mm 42/32/22T 3x10spd
Pedale	Rocky Mountain AM Flats
Tretlager	FSA Press Fit Mega Exo
Schalthebel	Shimano Deore Rapid Fire 3x10spd
Umwerfer	Shimano Deore E Mount 3x10spd
Schaltwerk	Shimano Deore Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano RM35 / Centerlock / 9 x 100mm QR
Hinterradnabe	Shimano RM35 / Centerlock / 10 x 135mm QR
Speichen	Stainless
Felgen	Wheeltech SX19 27.5 by WTB
Reifen	Maxxis F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Rocky Mountain Five15 XC 31.8mm x 760mm x 5° Sweep
Vorbau	RMB 7° x 70-90mm
Griffe	Rocky Mountain XC Kraton
Sattel	WTB Volt
Sattelstütze	Rocky Mountain XC 30.9mm x 350mm

THUNDERBOLT 730 MIT RIDE-9

GLOSS LEMONGRASS/PETROL/BLACK

Rahmen	FORM 7005 Series Custom Formed Alloy. BC2 Pivots & Grease Ports. Pipelock Main Pivot. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate.
Dämpfer	Fox Float DPS Custom Valved. SmoothLink Design 120mm. Rebound / Firm - Medium - Open Settings
Gabel	X Fusion Streat RL2 27.5 Air. 120mm. Lockout / Rebound / Tapered Alloy Steerer
Steuersatz	FSA Orbit NO.57E: ZS44mm Top / ZS56mm Bottom Tapered
Bremshebel	Shimano M506 I-Spec Shifter Mount
Bremsen	Shimano M506 Hydraulic Disc 180/160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	Shimano M615 170-175mm 38/24T 2x10spd
Tretlager	Shimano SMBB52 Press Fit
Schalthebel	Shimano Deore Rapid Fire I-Spec 2x10spd
Umwerfer	Shimano Deore E Mount 2x10spd
Schaltwerk	Shimano XT Shadow Plus Direct Mount 10spd
Vorderradnabe	Shimano Deore / Centerlock / 32H / 15mm Axle
Hinterradnabe	Shimano Deore / Centerlock / 32H / 12 x 142mm Axle
Speichen	WTB 2.0 Stainless
Felgen	Wheeltech Helix TR25 Tubeless Compatible by SUNringlé
Reifen	Maxxis Folding F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Rocky Mountain Five15 XC 31.8mm x 760mm x 5° Sweep
Vorbau	RMB 7° x 70-90mm
Griffe	Rocky Mountain XC Kraton
Sattel	WTB Volt
Sattelstütze	Rocky Mountain SL 30.9mm x 400mm

THUNDERBOLT 710

GLOSS NEON RED

Rahmen	FORM™ 7005 Series Custom Hydroformed Alloy. ABC™ Pivots. Tapered Head Tube. Press Fit BB.
Dämpfer	Manitou Radium Expert Custom Valved. SmoothLink™ Design 120mm. Rebound / Lockout
Gabel	Manitou Marvel LTD.120mm / ACT Air / Compression / Lockout / Rebound / Alloy Steerer
Steuersatz	Cane Creek Fifteen Series: ZS44mm Top / ZS56mm Bottom Reducer
Bremshebel	Shimano BL-M395
Bremsen	Shimano BR-M395 Hydraulic Disc 160mm
Kassette	Shimano HG50 11-36T 10spd
Kette	Shimano HG54 10spd
Kurbel	FSA Gamma Drive 170-175mm 44/32/22T 3x10spd
Tretlager	FSA Press Fit Mega Exo
Schalthebel	Sram X5 Triggers 3x10spd
Umwerfer	Sram X7 S3 Direct Mount 3x10spd
Schaltwerk	Sram X5 3x10spd
Vorderradnabe	Shimano RM35 / Centerlock / 9 x 100mm QR
Hinterradnabe	Shimano RM35 / Centerlock / 10 x 135mm QR
Speichen	Stainless
Felgen	Wheeltech TD26 by Alex Rims
Reifen	Maxxis F: Ardent 27.5" x 2.25" R: Ardent Race 27.5" x 2.2"
Lenker	Rocky Mountain Five15 XC Ø31.8mm x 720mm x 5° Sweep
Vorbau	Rocky Mountain L7 7° x 70-90mm
Griffe	Rocky Mountain XC Kraton
Sattel	WTB Volt
Sattelstütze	Rocky Mountain XC 30.9mm x 350mm

Thunderbolt BC EDITION

R Thomas Vanderham
P Margus Riga
L Lumber, British Columbia

THUNDERBOLT 790 MSL BC EDITION

MATTE SMOKE/BLACK/WHITE

Rahmen	Smoothwall Carbon. BC2 Pivots & Grease Ports. Press Fit BB. RIDE-9 Adjustable Geometry & Suspension Rate. Pipelock Main Pivot. Di2 Ready.
Dämpfer	RockShox Monarch RT3 Custom BC Valved. SmoothLink Design 120mm. Rebound / 3 Position Threshold / Adjustable Suspension Rate
Gabel	RockShox Pike RCT3 27.5, 130mm. Charger Damper / Rebound / 3 Position Compression Threshold / Tapered Steerer
Steuersatz	FSA Orbit C-40: IS42mm Top / 52mm Bottom Tapered
Bremshebel	Shimano XT
Bremsen	Shimano XT Ice Tech Hydraulic Disc 180mm
Kassette	SRAM XG-1180 10-42T 11spd
Kette	SRAM PC-X1 11spd
Kurbel	Race Face Turbine Cinch 170-175mm 32T Direct Mount 1x11spd
Tretlager	Race Face Cinch 30mm BB92 Pressfit
Schalthebel	SRAM X01 Trigger 1x11spd
Schaltwerk	SRAM X01 Type 2 All Mountain 11spd
Vorderradnabe	Stan's 3.30 Disc / 15mm Axle
Hinterradnabe	Stan's 3.30 Disc / 6 Pawl XD Freehub / 142 x 12mm Axle
Speichen	DT Swiss Competition
Felgen	Stan's ZTR Flow Tubeless Ready
Reifen	Maxxis Ardent EXO 27.5" x 2.4"
Lenker	Race Face Next 1/2 Rise 35mm x 760mm x 9° Sweep
Vorbau	RMB CNC 35mm 6° x 50-70mm
Griffe	Rocky Mountain Lock On XC
Sattel	WTB Silverado SLT Titanium
Sattelstütze	RockShox Reverb Stealth 30.9mm x 350-420mm

Perfekt an die lokalen Trails in British Columbia angepasst, macht die BC Edition aus dem wendigen Thunderbolt ein wirklich aggressives Trail Bike: Breiter Lenker, dicke Reifen, robuste Laufräder und hochwertige Federung, das Thunderbolt BC Edition steht für fette Trail Action.

BC EDITION



27.5 ZOLL
LAUFRADGRÖßE

130 MM
FEDERUNG VORNE

120 MM
FEDERUNG HINTEN

TR
TRAIL
EINSATZGEBIET

RAHMEN TECHNOLOGIE

SMOOTHWALL CARBON
RAHMEN

RIDE-9
EINSTELLUNG

SMOOTHLINK
FEDERUNGSSYSTEM

BC2
PIVOTS

PIPELOCK
COLLET SYSTEM

RTC
DESIGN

GEOMETRIE

		XS	SM	MD	LG	XL
Oberrohr (mm)	TTH	*542*	*567*	*592*	*617*	*647*
Lenkwinkel (grad)	HTA	*67.2 - 68.4°*	*67.2 - 68.4°*	*67.2 - 68.4°*	*67.2 - 68.4°*	*67.2 - 68.4°*
Steuerrohr (mm)	HTL	*100*	*110*	*120*	*130*	*145*
Sitzwinkel (grad)	STA	*73.7 - 75.3°*	*73.7 - 75.3°*	*73.7 - 75.3°*	*73.7 - 75.3°*	*73.7 - 75.3°*
Sitzrohr (mm)	STL	*381*	*419*	*457*	*483*	*521*
Kettenstrebe (mm)	CSL	*421*	*421*	*421*	*421*	*421*
Tretlagerabsenkung (mm)	BBD	*20.2 to 0.5*	*20.2 to 0.5*	*20.2 to 0.5*	*20.2 to 0.5*	*20.2 to 0.5*
Reach (mm)	R	*368 - 385*	*390 - 408*	*413 - 430*	*436 - 452*	*461 - 479*
Stack (mm)	S	*554 - 562*	*563 - 571*	*572 - 581*	*582 - 590*	*596 - 604*
Schritthöhe (mm)	SH	*700*	*700*	*700*	*700*	*700*
Radstand (mm)	WB	*1079*	*1105*	*1131*	*1157*	*1189*