

MEHR BERGE, MEHR TRAILS, MEHR ERLEBEN

EROBERT NEUE BERGE

· 150 MM FEDERWEG F.O.L.D. FULLSUSPENSION

· 27+ (PLUS), 29" (NINE) ODER 29"/27+ (DRIFTER) LAUFRÄDER / BEREIFUNG

· SHIMANO E8000 ANTRIEB MIT 756 WH ODER
BOSCH PERFORMANCE CX ANTRIEB MIT 625 WH

TOP FEATURES



AIRFLOW

F.O.L.D.
FOCUS OPTIMIZED LINKAGE DESIGN

FLIP CHIP

S.S.P.S.
STABLE STIFFNESS PER SIZET.E.C.
TAILORED ENERGY CONCEPT

LEICHT UND SEXY

Dank seines geringen Gewichts erklimmt das JAM² alle Berge – und das mit Style. Der E-Antrieb sitzt formschön integriert im Unterrohr und verschwendet kaum Unterstützung für die wenigen Kilos des Bikes.

OPTIMALE FEDERUNGS-PERFORMANCE FÜR JEDE SITUATION

Unser F.O.L.D.-Fahrwerk ist speziell auf die erhöhten Anforderungen eines E-MTBs abgestimmt. So garantieren wir auch am E-All-Mountain JAM² den perfekten Mix: F.O.L.D. spricht extrem sensibel an, bietet aber dennoch genug Progressivität, damit der Dämpfer nicht durchschlägt.

DIE FAHREIGENSCHAFTEN ZÄHLEN

Wir nutzen nur Antriebe und Akkus, die es uns dank ihrer kompakten Bauweise ermöglichen, die Geometrie des JAM² modern, agil und aggressiv zu zeichnen. So hast du auf dem Trail genauso viel Spaß wie mit unserem JAM ohne Unterstützung.



JAM² 9.9 DRIFTER

- Stark und perfekt abgestimmt: Shimano E8000 Antrieb mit smarten 756 Wh Akkuleistung
- Super leichter Carbon-Rahmen mit 29"-Laufrad vorne und 27+-Laufrad hinten für Grip und Laufruhe
- Edles 150 mm F.O.L.D. Fahrwerk: Fox Float 36 Factory Federgabel und DPS Factory Dämpfer



JAM² 9.8 NINE

- Stark und perfekt abgestimmt: Shimano E8000 Antrieb mit smarten 756 Wh Akkuleistung
- Super leichter Carbon-Rahmen mit lauruhigen 29"-Laufrädern
- 150 mm F.O.L.D. Fahrwerk: RockShox 35 Gold Federgabel und RockShox Deluxe Select Dämpfer



JAM² 6.9 DRIFTER

- Stark und perfekt abgestimmt: Shimano E8000 Antrieb mit smarten 756 Wh Akkuleistung
- Aluminium-Rahmen mit 29"-Laufrad vorne und 27+-Laufrad hinten für Grip und Laufruhe
- Genial kombiniertes 150 mm F.O.L.D. Fahrwerk: Marzocchi Bomber Z1 Federgabel und Fox DPS Performance Dämpfer



JAM² 6.8 NINE

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Aluminium-Rahmen mit lauruhigen 29"-Laufrädern
- Hochwertiges 150 mm F.O.L.D. Fahrwerk: Fox Rhythm 34 und Fox DPS Dämpfer



JAM² 6.8 PLUS

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Aluminium-Rahmen mit 27+-Laufrädern für viel Grip
- Hochwertiges 150 mm F.O.L.D. Fahrwerk: Fox Rhythm 34 und Fox DPS Dämpfer



JAM² 6.7 NINE

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Aluminium-Rahmen mit lauruhigen 29"-Laufrädern
- 150 mm F.O.L.D. Fahrwerk: Rockshox Recon Federgabel und Deluxe Select Dämpfer



JAM² 6.7 PLUS

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Aluminium-Rahmen mit 27+-Laufrädern für viel Grip
- 150 mm F.O.L.D. Fahrwerk: Rockshox Recon Federgabel und Deluxe Select Dämpfer



JAM² 6.6 NINE

- Stark und perfekt abgestimmt: Shimano E8000 Antrieb mit smarten 756 Wh Akkuleistung
- Aluminium-Rahmen mit lauruhigen 29"-Laufrädern
- 150 mm F.O.L.D. Fahrwerk: RockShox Recon RC Federgabel und RockShox Deluxe R Dämpfer



JAM² 6.6 PLUS

- Stark und perfekt abgestimmt: Shimano E8000 Antrieb mit smarten 756 Wh Akkuleistung
- Aluminium-Rahmen mit 27+-Laufrädern für viel Grip
- 150 mm F.O.L.D. Fahrwerk: RockShox Recon RC Federgabel und RockShox Deluxe Select Dämpfer



Heritage Blue

JAM² 9.9 DRIFTER

6.999 €

| | | | |
|----------------------|-----------|-----------|-----------|
| WHEELSIZE | 29 / 27 | 29 / 27 | 29 / 27 |
| SIZE / CM | S / 41 | M / 44 | L / 47 |
| ARTICLE NO. EU / BLU | 637514030 | 637514031 | 637514032 |



Carbon Raw

JAM² 9.8 NINE

5.199 €

| | | | |
|----------------------|-----------|-----------|-----------|
| WHEELSIZE | 29 | 29 | 29 |
| SIZE / CM | S / 41 | M / 44 | L / 47 |
| ARTICLE NO. EU / BLU | 637514045 | 637514046 | 637514047 |
| ARTICLE NO. EU / CAR | 637514055 | 637514056 | 637514057 |

- Carbon front triangle, 7005 aluminium rear triangle, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- Fox 36 Factory, 3-position lever, 15x110 mm QR
- Fox Float DPS Factory, 3-position lever, 210x55 mm, hardware: 25.0 x 8 mm, custom tune
- 150 mm / 150 mm
- Shimano Steps E8000, 70 Nm, 250 W
- FOCUS T.E.C. 756 Wh (378 Wh internal plus 378 Wh external)
- Shimano Steps E8000, colored LCD display, walk assist, bluetooth
- Shimano Deore XT M8100, 12-speed
- Shimano Deore XT M8100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano Deore XT FC-M8050, Hollowtech II
- Front: 34, rear: 10-51
- RaceFace Turbine R 35, aluminium, 800 mm, rise: 35 mm, backsweep: 8degree
- Race Face Gripper
- Race Face Turbine R
- Acros AIX-322, tapered, IS 42 / 286-1S52 / 40
- Proxim W450
- Fox Transfer Factory, 31,6 mm
- Shimano XT M8120, 4 piston
- 200 / 200
- DT Swiss H1900 Drifter (29" front / 27.5" rear), 622-30 / 584-35, 110x15 mm / 148x12 mm
- Maxxis Minion DHF 2.6 Dual Exo TR
- Maxxis Rekon+ 2.8 Dual EXO TR
- Heritage Blue
- 19,9 kg
- Carbon front triangle, 7005 aluminium rear triangle, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- Rock Shox 35 Gold RL, 15x110 mm QR
- RockShox Deluxe Select, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Shimano Steps E8000, 70 Nm, 250 W
- FOCUS T.E.C. 756 Wh (378 Wh internal plus 378 Wh external)
- Shimano Steps E7000, black / white LCD display, walk assist, bluetooth
- Shimano SLX M7100, 12-speed
- Shimano Deore XT M8100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano FC-E8000
- Front: 34, rear: 10-51
- BBB Ascension BHB-110-D12, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- BBB Cobra BHG-96
- BBB Jumper BHS-138
- Acros AIX-322, tapered, IS 42 / 286-1S52 / 40
- FOCUS Trail SL
- Kindshock E30i, 31,6 mm
- Shimano BR-MT520, 4 piston
- 200 / 200
- RaceFace AR30 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon 2.6 3C Exo TR
- Maxxis Rekon 2.6 Dual Exo TR
- Carbon Raw, Heritage Blue
- 20,7 kg



Sandbrown

JAM² 6.9 DRIFTER

5.199 €

| WHEELSIZE | 29 / 27 | 29 / 27 | 29 / 27 | 29 / 27 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 41 | M / 44 | L / 47 | XL / 50 |
| ARTICLE NO. EU / BEI | 637514060 | 637514061 | 637514062 | 637514063 |

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- Marzocchi Bomber Z1, 3-position lever, 15x110 mm QR
- Fox Float DPS Performance, 3-position lever, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Shimano Steps E8000, 70 Nm, 250 W
- FOCUS T.E.C. 756 Wh (378 Wh internal plus 378 Wh external)
- Shimano Steps E7000, black / white LCD display, walk assist, bluetooth
- Shimano Deore XT M8100, 12-speed
- Shimano Deore XT M8100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano FC-E8000
- Front: 34, rear: 10-51
- RaceFace Chester 35, aluminium, 780 mm, rise: 35 mm, backsweep: 8degree
- Race Face Grippler
- Race Face Affect R 35, 50 mm
- Acros AZX-212 AH, 1-1 / 8", tapered, 44 / 286-ZS56 / 40
- Proxim W350
- Kindshock E30i, 31,6 mm
- Shimano XT M8120, 4 piston 200 / 200
- Mavic E-XA Drifter (29" front / 27,5" + rear), 622-30 / 584-35, 110x15 mm / 148x12 mm
- Maxxis Minion DHF 2.6 3C Exo TR
- Maxxis Minion DHR+ 2.8 Dual Exo TR
- Sandbrown
- 21,7 kg



Magic Black

JAM² 6.8 NINE

4.799 €

| WHEELSIZE | 29 | 29 | 29 | 29 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 40 | M / 42 | L / 45 | XL / 49 |
| ARTICLE NO. EU / BLK | 637518105 | 637518106 | 637518107 | 637518108 |
| ARTICLE NO. EU / BLU | 637518115 | 637518116 | 637518117 | 637518118 |

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 200 mm
- Fox 34 Rhythm, sweep adjust, 15x110 mm QR
- Fox Float DPS Performance, 3-position lever, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Kiox
- Shimano SLX M7100, 12-speed
- Shimano Deore XT M8100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- BBB Ascension BHB-110, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- BBB Cobra BHG-96
- BBB Jumper BHS-138
- VP Components, ZS56 / 28,6-ZS56 / 40
- Proxim W350
- Kindshock E30i, 31,6 mm
- Shimano BR-MT520, 4 piston 200 / 200
- RaceFace AR30 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon 2.6 Dual Exo TR
- Magic Black, Stone Blue
- 23,5 kg



Magic Black

JAM² 6.8 PLUS

4.799 €

| WHEELSIZE | 27 | 27 | 27 | 27 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 40 | M / 42 | L / 45 | XL / 49 |
| ARTICLE NO. EU / BLK | 637518125 | 637518126 | 637518127 | 637518128 |
| ARTICLE NO. EU / BLU | 637518135 | 637518136 | 637518137 | 637518138 |



Stone Blue

JAM² 6.7 NINE

4.299 €

| WHEELSIZE | 29 | 29 | 29 | 29 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 40 | M / 42 | L / 45 | XL / 49 |
| ARTICLE NO. EU / BLK | 637518140 | 637518141 | 637518142 | 637518143 |
| ARTICLE NO. EU / BLU | 637518150 | 637518151 | 637518152 | 637518153 |

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 200 mm
- Fox 34 Rhythm, sweep adjust, 15x110 mm QR
- Fox Float DPS Performance, 3-position lever, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Kiox
- Shimano SLX M7100, 12-speed
- Shimano Deore XT M8100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- BBB Ascension BHB-110, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- BBB Cobra BHG-96
- BBB Jumper BHS-138
- VP Components, ZS56 / 28,6-ZS56 / 40
- Proxim W350
- Kindshock E30i, 31,6 mm
- Shimano BR-MT520, 4 piston 200 / 200
- RaceFace AR40 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon+ 2.8 Dual EXO TR
- Magic Black, Stone Blue
- 23,7 kg

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 200 mm
- Rock Shox Recon RL, 110x15 mm QR
- RockShox Deluxe Select, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Purion
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- BBB Ascension BHB-110, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- FOCUS Locker SL
- BBB Jumper BHS-138
- VP Components, ZS56 / 28,6-ZS56 / 40
- FOCUS Trail SL
- Kindshock E30i, 31,6 mm
- Shimano BR-MT520, 4 piston 200 / 200
- RaceFace AR30 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon 2.6 Dual Exo TR
- Maxxis Rekon 2.6 Dual Exo TR
- Stone Blue, Magic Black
- 23,5 kg

JAM² ALL-MOUNTAIN



Magic Black

Stone Blue

JAM² 6.7 PLUS

4.299 €

| WHEELSIZE | 27 | 27 | 27 | 27 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 40 | M / 42 | L / 45 | XL / 49 |
| ARTICLE NO. EU / BLK | 637518160 | 637518161 | 637518162 | 637518163 |
| ARTICLE NO. EU / BLU | 637518170 | 637518171 | 637518172 | 637518173 |

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 200 mm
- RockShox Recon RL, 110x15 mm QR
- RockShox Deluxe Select, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Purion
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- BBB Ascension BHB-110, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- FOCUS Locker SL
- BBB Jumper BHS-138
- VP Components, ZS56 / 28,6-ZS56 / 40
- FOCUS Trail SL
- Kindshock E30i, 31,6 mm
- Shimano BR-MT520, 4 piston
- 200 / 200
- RaceFace AR40 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon+ 2.8 Dual EXO TR
- Magic Black, Stone Blue
- 23,9 kg



Steel Grey

JAM² 6.6 PLUS

4.099 €

| WHEELSIZE | 27 | 27 | 27 | 27 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 41 | M / 44 | L / 47 | XL / 50 |
| ARTICLE NO. EU / GRY | 637514080 | 637514081 | 637514082 | 637514083 |

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- RockShox Recon RL, 110x15 mm QR
- RockShox Deluxe Select, 210 / 55 mm, hardware: 25,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Shimano Steps E8000, 70 Nm, 250 W
- FOCUS T.E.C. 756 Wh (378 Wh internal plus 378 Wh external)
- Shimano Steps E7000, black / white LCD display, walk assist, bluetooth
- Sram SX Eagle, 12-speed
- Sram SX Eagle, 12-speed
- Sram PG-1210 Eagle, 12-speed
- Shimano FC-E8000
- Front: 34, rear: 11-50
- BBB Ascension BHB-110-Di2, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- FOCUS Locker SL
- BBB Jumper BHS-138
- Acros AZX-212 AH, 1-1 / 8", tapered, 44 / 286-ZS56 / 40
- FOCUS Trail SL
- Kindshock E30i, 31,6 mm
- Magura MT5, 4-piston (front) / MT4, 2-piston (rear)
- 200 / 200
- RaceFace AR40 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon+ 2.8 Dual EXO TR
- Steel Grey
- 22,1 kg



Steel Grey

JAM² 6.6 NINE

4.099 €

| WHEELSIZE | 29 | 29 | 29 | 29 |
|----------------------|-----------|-----------|-----------|-----------|
| SIZE / CM | S / 41 | M / 44 | L / 47 | XL / 50 |
| ARTICLE NO. EU / GRY | 637514070 | 637514071 | 637514072 | 637514073 |

- 7005 hydroformed aluminium, 3D forging, 150 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- RockShox Recon RL, 110x15 mm QR
- RockShox Deluxe Select, 210 / 55 mm, hardware: 5,0 x 8 mm, custom tune
- 150 mm / 150 mm
- Shimano Steps E8000, 70 Nm, 250 W
- FOCUS T.E.C. 756 Wh (378 Wh internal plus 378 Wh external)
- Shimano Steps E7000, black / white LCD display, walk assist, bluetooth
- Sram SX Eagle, 12-speed
- Sram SX Eagle, 12-speed
- Sram PG-1210 Eagle, 12-speed
- Shimano FC-E8000
- Front: 34, rear: 11-50
- BBB Ascension BHB-110-Di2, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- FOCUS Locker SL
- BBB Jumper BHS-138
- Acros AZX-212 AH, 1-1 / 8", tapered, 44 / 286-ZS56 / 40
- FOCUS Trail SL
- Kindshock E30i, 31,6 mm
- Magura MT5, 4-piston (front) / MT4, 2-piston (rear)
- 200 / 200
- RaceFace AR30 Offset
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Maxxis Rekon 2.6 3C Exo TR
- Steel Grey
- 22,1 kg

