

PARALANE²



TOP FEATURES



C.I.A.
COMFORT IMPROVING AREAS



F.I.T.
FOCUS INTEGRATION TECHNOLOGY



R.A.T.
RAPID AXLE TECHNOLOGY



ROAD BOOST

E-RENNRAD / ENDURANCE

SCHNELL WIE EIN RENNRAD, STARK WIE EIN E-BIKE

UNTERSTÜTZT IM RICHTIGEN MOMENT

· ENDURANCE-GEOMETRIE

- ENTNEHMBARE MOTOR-/BATTERIE-EINHEIT VOM ANTRIEB ENTKOPPELT
- ROAD-BOOST STANDARD, R.A.T.-STECKACHSEN, SCHEIBENBREMSEN, REIFENFREIHEIT 35 MM UND INKLUSIVE PASSENDER SCHUTZBLECHE

VEREINT VORTEILE VON RENNRÄDERN UND E-BIKES

Leicht und agil und doch mit dem extra Push vom Fazua Evation Antrieb mit 252 Wh Batteriekapazität, wenn Unterstützung nötig ist: Die entnehmbare Motor-/Batterie-Einheit ist vom Antrieb entkoppelt und nur spürbar, wenn sie deine Fahrt erleichtert.

MEHR REIFENFREIHEIT FÜR MEHR FREIHEIT

Die maximale Reifenfreiheit von bis zu 35 mm gibt dir die Möglichkeit, alle Wege zu befahren – egal ob Asphalt oder Schotterpiste.

OPTIMALE SCHALTFUNKTION

Dank unseres revolutionären Road-Boost-Standards mit breiten 148 und 110 mm R.A.T. Achsen gewährleisten wir eine optimale Kettenlinie bei E-Rennrädern und damit optimale Schaltfunktion und weniger Verschleiß.

PARALANE² ENDURANCE



PARALANE² 9.9

- Komfortabler (C.I.A.) und revolutionär leichter F.I.T. Carbon-Rahmen (1450 g) mit Road-Boost und integriertem Fazua Evation Antrieb
- Maximale elektronische Schaltpräzision: Shimano Dura-Ace Di2
- Aerodynamischer DT Swiss Carbon-Laufradsatz mit Road-Boost-Standard



PARALANE² 9.8

- Komfortabler (C.I.A.) und revolutionär leichter F.I.T. Carbon-Rahmen (1450 g) mit Road-Boost und integriertem Fazua Evation Antrieb
- Elektronisch präzise Schalten: Shimano Ultegra Di2
- Leichter und robuster DT Swiss Aluminium-Laufradsatz mit Road-Boost-Standard



PARALANE² 9.7

- Komfortabler (C.I.A.) und revolutionär leichter F.I.T. Carbon-Rahmen (1450 g) mit Road-Boost und integriertem Fazua Evation Antrieb
- Hohe Präzision und super zuverlässig: Shimano Ultegra Schaltung
- Leichter und robuster DT Swiss Aluminium-Laufradsatz mit Road-Boost-Standard



PARALANE² 9.6 GC

- Komfortabler (C.I.A.) und revolutionär leichter F.I.T. Carbon-Rahmen (1450 g) mit Road-Boost und integriertem Fazua Evation Antrieb
- Abgestimmt auf Gravel-Abenteurer: Shimano GRX 11-fach Gruppe mit spezieller Übersetzung
- Volle Kontrolle und viel Komfort: Lenker mit Flare und Gravel-spezifische Vittoria Terreno Zero Reifen



PARALANE² 9.5

- Komfortabler (C.I.A.) und revolutionär leichter F.I.T. Carbon-Rahmen (1450 g) mit Road-Boost und integriertem Fazua Evation Antrieb
- Lange Lebensdauer und verlässliches Schalten: Shimano 105
- Leichter und robuster DT Swiss Aluminium-Laufradsatz mit Road-Boost-Standard



PARALANE² 6.9

- Road-Boost Aluminium-Rahmen mit Carbon-Gabel und integriertem Fazua Evation Antrieb
- Hohe Präzision und super zuverlässig: Shimano Ultegra Schaltung
- Leichter und robuster DT Swiss Aluminium-Laufradsatz mit Road-Boost-Standard



PARALANE² 6.8 GC

- Road-Boost Aluminium-Rahmen mit Carbon-Gabel und integriertem Fazua Evation Antrieb
- Abgestimmt auf Gravel-Abenteurer: Shimano GRX 10-fach Gruppe mit spezieller Übersetzung
- Volle Kontrolle und viel Komfort: Lenker mit Flare und Gravel-spezifische Vittoria Terreno Zero Reifen



PARALANE² 6.7

- Road-Boost Aluminium-Rahmen mit Carbon-Gabel und integriertem Fazua Evation Antrieb
- Lange Lebensdauer und verlässliches Schalten: Shimano 105
- Leichter und robuster DT Swiss Aluminium-Laufradsatz mit Road-Boost-Standard



PARALANE² 6.6 COMMUTE

- Road-Boost Aluminium-Rahmen mit Carbon-Gabel und integriertem Fazua Evation Antrieb
- Zuverlässiger Partner für deinen Commute: Shimano 105 Schaltung
- Flatbar Lenker für agiles Handling und komfortable Sitzposition



Silver

PARALANE² 9.9

10.499 €

WHEELSIZE	28	28	28	28
SIZE / CM	S / 51	M / 54	L / 57	XL / 60
ARTICLE NO. EU / SIL	633618500	633618501	633618502	633618503

- F.I.T Carbon E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- Carbon, disc, road boost 110x12 mm R.A.T. thru axle, R.A.T. Evo Technology, flat mount 160 / 140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano Dura Ace R9170, Di2
- Shimano Dura-Ace R9150, Di2
- Shimano Dura-Ace R9150 Di2
- Shimano Dura-Ace R9100
- FSA, carbon
- Front: 52 / 36, rear: 11-30
- Easton EC90 Aero, carbon, drop: 125 mm, reach: 80 mm
- FOCUS Bartape SL
- BBB Deluxe, aluminium, 31.8 mm, +/- 7 degree
- IS42 / 28.6 - IS52 / 40
- Prologo Scratch
- BBB CPX Plus, Carbon, 27.2 mm, 350 mm, set-back: 20 mm
- Shimano Dura Ace R9170 hydraulic disc
- 160 / 160
- DT Swiss ERC 1450 DB, 47 mm height, road boost
- Vittoria Corsa Control, 700 x 28C, Folding
- Curana C-Lite
- Silver
- 12,90 kg



Anthracite

PARALANE² 9.8

6.999 €

WHEELSIZE	28	28	28	28
SIZE / CM	S / 51	M / 54	L / 57	XL / 60
ARTICLE NO. EU / ANT	633618510	633618511	633618512	633618513

- F.I.T Carbon E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- Carbon, disc, road boost 110x12 mm R.A.T. thru axle, R.A.T. Evo Technology, flat mount 160 / 140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano Ultegra R8070, Di2
- Shimano Ultegra R8050, Di2
- Shimano Ultegra R8050, Di2
- Shimano Ultegra R8000
- FSA, carbon
- Front: 52 / 36, rear: 11-34
- BBB Deluxe, aluminium, drop: 125mm, reach: 70 mm
- FOCUS Bartape SL
- BBB Deluxe, aluminium, 31.8 mm, +/- 7 degree
- IS42 / 28.6 - IS52 / 40
- Prologo Scratch
- BBB CPX Plus, carbon, 27.2 mm, 350 mm, set-back: 20 mm
- Shimano Ultegra R8020 hydraulic disc, 160 / 160 mm
- 160 / 160
- DT Swiss RR521 SPLINE DB, 32 mm height w / DT Swiss 370 boost hub
- Vittoria Rubino TLR, 700 x 28C, Folding
- Curana C-Lite
- Anthracite
- 13,70 kg

PARALANE² ENDURANCE



Blue

PARALANE² 9.7

5.499 €

WHEELSIZE	28	28	28	28
SIZE / CM	S / 51	M / 54	L / 57	XL / 60
ARTICLE NO. EU / BLK	633618520	633618521	633618522	633618523
ARTICLE NO. EU / BLU	633618525	633618526	633618527	633618528



Black / Anthracite

- F.I.T Carbon E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- Carbon, disc, road boost 110x12 mm R.A.T. thru axle, R.A.T. Evo Technology, flat mount 160 / 140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano Ultegra R8020
- Shimano Ultegra R8000
- Shimano Ultegra R8000
- Shimano Ultegra R8000
- Shimano Ultegra R8000
- FSA, carbon
- Front: 50 / 34, rear: 11-34
- BBB Deluxe, aluminium, drop: 125 mm, reach: 70 mm
- FOCUS Bartape SL
- BBB Deluxe, aluminium, 31.8 mm, +/- 7 degree
- IS42 / 28.6 - IS52 / 40
- Prologo Scratch
- BBB CPX Plus, carbon, 27.2 mm, 350 mm, set-back: 20 mm
- Shimano Ultegra R8020 hydraulic disc, 160 / 160 mm
- 160 / 160
- DT Swiss RR521 SPLINE DB, 32 mm height w / DT Swiss 370 boost hub
- Vittoria Rubino TLR, 700 x 28C, Folding
- Curana C-Lite
- Blue, Black / Anthracite
- 13,80 kg



Sandbrown

PARALANE² 9.6 GC

5.399 €

WHEELSIZE	28	28	28	28
SIZE / CM	S / 51	M / 54	L / 57	XL / 60
ARTICLE NO. EU / BRN	637618560	637618561	637618562	637618563

- F.I.T Carbon E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- PARALANE² Carbon disc, road-boost 12 x 110 mm, R.A.T. through-axle, flat mount 160 / 140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano GRX 800
- Shimano GRX 800
- Shimano GRX 810
- Shimano Ultegra R8000
- FSA CK-746, aluminium
- Front: 50 / 34, rear: 11-34
- BBB Basic, aluminium, drop: 125 mm, reach: 70 mm, BBB Gravel, aluminium, drop: 120 mm (400 mm) / 130 mm (420 mm / 440 mm), reach: 70mm, flare: 16°
- FOCUS Bartape SL
- BBB Rider BHS-109, 31.8 mm, 7degree
- IS42 / 28.6 - IS52 / 40
- Prologo Scratch
- BBB FlyPost SP-131, 27.2 mm, carbon
- Shimano GRX 810
- 160 / 160
- Alex Rims Boondocks, disc center-lock, aluminium, 110x12 / 148x12 mm road-boost
- Vittoria Terreno Zero TLR, 700 x 33C, Folding
- Curana C-Lite
- Sandbrown
- 14,15 kg



Black / Anthracite

PARALANE² 9.5

4.999 €

WHEELSIZE	28	28	28	28
SIZE / CM	S / 51	M / 54	L / 57	XL / 60
ARTICLE NO. EU / RED	633618530	633618531	633618532	633618533
ARTICLE NO. EU / BLK	633618535	633618536	633618537	633618538



Red

- F.I.T Carbon E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- Carbon, disc, road boost 110x12 mm R.A.T. thru axle, R.A.T. Evo Technology, flat mount 160 / 140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano 105 R7020
- Shimano 105 R7000
- Shimano 105 R7000
- Shimano 105
- FSA, aluminium
- Front: 50 / 34, rear: 11-34
- BBB Basic, aluminium, drop: 125 mm, reach: 70 mm, BBB Deluxe, aluminium, drop: 125 mm, reach: 70 mm
- FOCUS Bartape SL
- BBB Basic, aluminium, 31.8 mm, +/- 7 degree
- IS42 / 28.6 - IS52 / 40
- Prologo Scratch
- BBB CPX Plus, carbon, 27.2 mm, 350 mm, set-back: 20 mm
- Shimano 105 R7025 hydraulic disc
- 160 / 160
- DT Swiss RR521 SPLINE DB, 32 mm height w / DT Swiss 370 boost hub
- Vittoria Rubino TLR, 700 x 28C, Folding
- Curana C-Lite
- Black / Anthracite, Red
- 14,15 kg



Silver

PARALANE² 6.9

4.499 €

WHEELSIZE	28	28	28	28
SIZE / CM	S / 51	M / 54	L / 57	XL / 60
ARTICLE NO. EU / SIL	633618540	633618541	633618542	633618543

- F.I.T aluminium E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- Carbon, disc, road boost 110x12 mm R.A.T. thru axle, R.A.T. Evo Technology, flat mount 160 / 140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano Ultegra R8020
- Shimano Ultegra R8000
- Shimano Ultegra R8000
- Shimano Ultegra R8000
- FSA, aluminium
- Front: 50 / 34, rear: 11-34
- BBB Basic, aluminium, drop: 125 mm, reach: 70 mm, BBB Deluxe, aluminium, drop: 125 mm, reach: 70 mm
- FOCUS Bartape SL
- BBB Deluxe, aluminium, 31.8 mm, +/- 7 degree
- IS42 / 28.6 - IS52 / 40
- Prologo Scratch
- BBB Deluxe, aluminium, 27.2 mm, 350 mm, set-back 20 mm
- Shimano Ultegra R8020 hydraulic disc, 160 / 160 mm
- 160 / 160
- DT Swiss RR521 SPLINE DB, 32 mm height w / DT Swiss 370 boost hub
- Vittoria Zaffiro Pro , 700 x 28C, Folding
- Curana C-Lite
- Silver
- 15,65 kg

PARALANE² ENDURANCE



Mineral Green

PARALANE² 6.8 GC

4.199 €

WHEELSIZE	28	28	28	28
SIZE / CM	S/51	M/54	L/57	XL/60
ARTICLE NO. EU / GRN	637618590	637618591	637618592	637618593



Red

PARALANE² 6.7

3.999 €

WHEELSIZE	28	28	28	28
SIZE / CM	S/51	M/54	L/57	XL/60
ARTICLE NO. EU / RED	633618550	633618551	633618552	633618553

- F.I.T aluminium E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- PARALANE² Carbon disc, road-boost 12 x 110 mm, R.A.T. through-axle, flat mount 160/140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano GRX 400
- Shimano GRX 400
- Shimano GRX 400
- Shimano HG500
- FSA CK-746, aluminium
- Front: 46/34, rear: 11-34
- BBB Basic, aluminium, drop: 125 mm, reach: 70 mm, BBB Gravel, aluminium, drop: 120 mm (400 mm)/130 mm (420 mm/440 mm), reach: 70 mm, flare: 16°
- FOCUS Bartape SL
- BBB Rider BHS-109, 31.8 mm, 7degree
- IS42/28.6 - IS52/40
- Prologo Scratch
- BBB Basic, aluminium, 27.2 mm, 350 mm
- Shimano GRX 400
- 160/160
- Alex Rims Boondocks, disc center-lock, aluminium, 110x12/148x12 mm road-boost
- Vittoria Terreno Zero TLR, 700 x 33C, Folding
- Curana C-Lite
- Mineral Green
- 15,65 kg

- F.I.T aluminium E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- Carbon, disc, road boost 110x12 mm R.A.T. thru axle, R.A.T. Evo Technology, flat mount 160/140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano 105 R7020
- Shimano 105 R7000
- Shimano 105 R7000
- Shimano 105
- FSA, aluminium
- Front: 50/34, rear: 11-34
- BBB Basic, aluminium, drop: 125 mm, reach: 70 mm
- FOCUS Bartape SL
- BBB Basic, aluminium, 31.8 mm, +/- 7 degree
- IS42/28.6 - IS52/40
- Prologo Scratch
- BBB Basic, aluminium, 27.2 mm, 350 mm, set-back 20 mm
- Shimano 105 R7025 hydraulic disc
- 160/160
- DT Swiss RR521 SPLINE DB, 32 mm height w/ DT Swiss 370 boost hub
- Vittoria Zaffiro Pro, 700 x 28C, Folding
- Curana C-Lite
- Red
- 15,65 kg



Smoke Silver

PARALANE² 6.6 COMMUTE

3.599 €

WHEELSIZE	28	28	28	28
SIZE / CM	S/51	M/54	L/57	XL/60
ARTICLE NO. EU / SIL	637618600	637618601	637618602	637618603

- F.I.T aluminium E-Road, disc, road boost 148x12 mm thru axle, R.A.T. Evo technology, flat mount 160 mm, internal cable routing
- PARALANE² Carbon disc, road-boost 12 x 110 mm, R.A.T. through-axle, flat mount 160/140 mm, internal brake cable routing
- FAZUA evation, 60 Nm, 250 W
- FAZUA evation, 250 Wh, removeable
- FAZUA evation 2.0 remote
- Shimano RS700
- Shimano 105 R7000
- Shimano 105 R7000
- Shimano 105
- FSA CK-746, aluminium
- Front: 46/34, rear: 11-34
- FOCUS Roadie Grip
- BBB Rider BHS-109, 31.8 mm, 7degree
- IS42/28.6 - IS52/40
- Prologo Scratch
- BBB Basic, aluminium, 27.2 mm, 350 mm
- Shimano RS405
- 160/160
- Alex Rims Boondocks, disc center-lock, aluminium, 110x12/148x12 mm road-boost
- Vittoria Zaffiro Pro, 700 x 32C, Folding
- Curana C-Lite
- Smoke Silver
- 15,95 kg



E-ALLROUND



STADT



TREKKING



PLANET²



AVENTURA²

