

THRON²



TOP FEATURES



F.O.L.D.
FOCUS OPTIMIZED LINKAGE DESIGN



INTERNAL
CABLE ROUTING

*ASTREINES TOURENFULLY
MIT AUSSTATTUNGSMÖGLICHKEITEN*

MEHR ALS NUR TRAILS

- 130 MM FEDERWEG F.O.L.D. FULLSUSPENSION
- 29" LAUFRÄDER UND VOLL AUSGESTATTETE MODELLE (EQP)
- BOSCH PERFORMANCE CX MIT 625 WH

ALLE EINSATZMÖGLICHKEITEN

Unsere ausgestatteten EQP-Modelle haben einen Gepäckträger, Schutzbleche, Ständer und Licht. Von Bikepacking über Commute bis Trailtour im alpinen Gelände ist alles möglich. Alle nicht ausgestatteten Modelle lassen sich nachrüsten.

OPTIMALE FEDERUNGS-PERFORMANCE FÜR JEDE SITUATION

Trailspaß und Komfort stehen beim THRON² an oberster Stelle. Dank unserer eigenen F.O.L.D. Kinematik arbeitet der Hinterbau effizient bei jedem deiner Tritte, federt aber sensibel alle Unebenheiten ab.

DIE FAHREIGENSCHAFTEN ZÄHLEN

Der Bosch Performance CX-Antrieb mit integrierter 625 Wh-Batterie bietet dir kraftvolle, dynamische Unterstützung. Auch dank seiner kompakten Bauweise fährt sich das THRON² agil und wendig auf den Trails.

THRON² TRAIL UND TOUREN



THRON² 6.9

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Hochwertiges 130 mm F.O.L.D. Fahrwerk: Fox Float 34 Rhythm Federgabel und Fox Float DPS Dämpfer
- Zuverlässig präzise Shimano XT Komponenten und verlässliche 4-Kolben-Bremse



THRON² 6.8

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Sensibles 130 mm F.O.L.D. Fahrwerk: RockShox Recon Federgabel und SR Suntour Dämpfer
- Tadellose Shimano SLX Schaltung und verlässliche 4-Kolben-Bremse



THRON² 6.8 EQP

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 625 Wh Batterie
- Komfortables 130 mm F.O.L.D. Fahrwerk mit SR Suntour Federelementen
- Komplett ausgerüstet (EQP): Gepäckträger, Licht, Ständer und Schutzbleche



THRON² 6.7

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 500 Wh Batterie
- Sensibles 130 mm F.O.L.D. Fahrwerk: RockShox Recon Federgabel und SR Suntour Dämpfer
- Brandneue Sram SX Eagle Schaltgruppe



THRON² 6.7 EQP

- Kraftvoll dynamischer Bosch Performance CX Antrieb mit integrierter, entnehmbarer 500 Wh Batterie
- Komfortables 130 mm F.O.L.D. Fahrwerk mit SR Suntour Federelementen
- Komplett ausgerüstet (EQP): Gepäckträger, Licht, Ständer und Schutzbleche



Mineral Green

THRON² 6.9

4.699 €

WHEELSIZE	29	29	29	29
SIZE / CM	S / 41	M / 44	L / 47	XL / 50
ARTICLE NO. EU / GRN	637518000	637518001	637518002	637518003



Slate Grey

THRON² 6.8

4.199 €

WHEELSIZE	29	29	29	29
SIZE / CM	S / 40	M / 44	L / 47	XL / 50
ARTICLE NO. EU / GRN	637518010	637518011	637518012	637518013
ARTICLE NO. EU / GRY	637518020	637518021	637518022	637518023

- 7005 hydroformed aluminium, 3D forging, 130 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- Fox 34 Rhythm, sweep adjust, 15x110 mm QR
- Fox Float DPS Performance, 3-position lever, 190 / 45 mm, hardware: 25 x 8mm, custom tune
- 130 mm / 130 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Kiox
- Shimano Deore XT M8100, 12-speed
- Shimano Deore XT M8100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- BBB Ascension BHB-110, aluminium, riserbar, 780 mm, rise: 20 mm, backsweep: 9degree
- FOCUS Ergo Comfort
- BBB Jumper BHS-137
- VP Components, ZS56 / 28,6-ZS56 / 40
- Proxim W450
- Kindshock E30i, 31,6 mm
- Shimano BR-MT520, 4 piston
- 200 / 200
- DT Swiss H1900, 622-30, 148x12 mm / 110x15 mm
- Maxxis Rekon 2.6 3C Exo TR
- Mineral Green
- 23,3 kg

- 7005 hydroformed aluminium, 3D forging, 130 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- Rock Shox Recon RL, 110x15 mm QR
- SR Suntour Edge LOR, 190 / 45 mm, hardware: 25,0 x 8 mm, custom tune
- 130 mm / 130 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Purion
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- Aluminium, riserbar, 760 mm
- FOCUS Sport Ergo
- FOCUS aluminium, 31,8 mm, 60 mm, 17 degree
- VP Components, ZS56 / 28,6-ZS56 / 40
- Proxim W350
- Kindshock E30i, 31,6 mm
- Shimano BR-MT420, 4 piston
- 200 / 200
- Rodi Tryp 30 custom for FOCUS
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Schwalbe Nobby Nic Performance Addix 2.6
- Slate Grey, Mineral Green
- 24,0 kg

THRON² TRAIL UND TOUREN



Mineral Green

THRON² 6.8 EQP

4.299 €

WHEELSIZE	29	29	29	29
SIZE / CM	S / 41	M / 44	L / 47	XL / 50
ARTICLE NO. EU / GRN	637518050	637518051	637518052	637518053
ARTICLE NO. EU / GRY	637518060	637518061	637518062	637518063



Slate Grey

THRON² 6.7

3.899 €

WHEELSIZE	29	29	29	29
SIZE / CM	S / 40	M / 44	L / 47	XL / 50
ARTICLE NO. EU / GRN	637517000	637517001	637517002	637517003
ARTICLE NO. EU / GRY	637517010	637517011	637517012	637517013

- 7005 hydroformed aluminium, 3D forging, 130 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- SR Suntour XCR 34 LOR, 110x15 mm QR
- SR Suntour Edge LOR, 190/45 mm, hardware: 25,0 x 8 mm, custom tune
- 130 mm / 130 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 625 Wh, removeable, lockable
- Bosch Purion
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- Shimano SLX M7100, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 10-51
- Riser, aluminium, 720 mm
- FOCUS Sport Ergo
- BBB Jumper BHS-137
- VP Components, ZS56 / 28,6-ZS56 / 40
- FOCUS Sport SL
- Aluminium, 31,6 mm
- Shimano BR-MT420, 4 piston
- 200 / 200
- Rodi Black Rock 23 custom for FOCUS
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Schwalbe Hurricane Performance 2.25
- Tubus Wingee
- FOCUS Adventure Carrier, 16 kg max. load
- Rear stand, adjustable
- Supernova E3 Mini 2
- Herrmans H-Trace Micro
- Mineral Green, Slate Grey
- 25,8 kg

- 7005 hydroformed aluminium, 3D forging, 130 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- Rock Shox Recon RL, 110x15 mm QR
- SR Suntour Edge LOR, 190/45 mm, hardware: 25,0 x 8mm, custom tune
- 130 mm / 130 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 500 Wh, removeable, lockable
- Bosch Purion
- Sram SX Eagle, 12-speed
- Sram SX Eagle, 12-speed
- Sram PG-1210 Eagle, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 11-50
- Aluminium, riserbar, 760 mm
- FOCUS Sport Ergo
- FOCUS aluminium, 31,8 mm, 60 mm, 17 degree
- VP Components, ZS56 / 28,6-ZS56 / 40
- FOCUS Sport SL
- Aluminium, 31,6 mm
- Shimano BR-MT420, 4 piston
- 180 / 180
- Rodi Tryp 30 custom for FOCUS
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Schwalbe Nobby Nic Performance Addix 2.6
- Slate Grey, Mineral Green
- 23,0 kg



Slate Grey

THRON² 6.7 EQP

3.999 €

WHEELSIZE	29	29	29	29
SIZE / CM	S / 40	M / 44	L / 47	XL / 50
ARTICLE NO. EU / GRY	637517020	637517021	637517022	637517023

- 7005 hydroformed aluminium, 3D forging, 130 mm F.O.L.D. kinematic, 148x12 mm thru axle, internal cable routing, post mount 180 mm
- SR Suntour XCR 34 LOR, 110x15 mm QR
- SR Suntour Edge LOR, 190/45 mm, hardware: 25,0 x 8 mm, custom tune
- 130 mm / 130 mm
- Bosch Performance CX Gen4, 75 Nm, 250 W
- Bosch Powertube, 500 Wh, removeable, lockable
- Bosch Purion
- Sram SX Eagle, 12-speed
- Sram SX Eagle, 12-speed
- Sram PG-1210 Eagle, 12-speed
- FSA CK-320, aluminium
- Front: 34, rear: 11-50
- Riser, aluminium, 720 mm
- FOCUS Sport Ergo
- BBB Jumper BHS-137
- VP Components, ZS56 / 28,6-ZS56 / 40
- FOCUS Sport SL
- Aluminium, 31,6 mm
- Shimano BR-MT420, 4 piston
- 180 / 180
- Rodi Black Rock 23 custom for FOCUS
- Novatec D041, 15x110 mm / Novatec D162 Disc, 12x148 mm
- Schwalbe Hurricane Performance 2.25
- Tubus Wingee
- FOCUS Adventure Carrier, 16 kg max. load
- Rear stand, adjustable
- Busch Müller Lumotec IQ Avy, 40 Lux
- Herrmans H-Trace Micro
- Slate Grey
- 25,4 kg

